





GLOBAL STANDARDS FOR QUALITY HEALTH-CARE SERVICES FOR ADOLESCENTS

A GUIDE TO IMPLEMENT A STANDARDS-DRIVEN APPROACH TO IMPROVE THE QUALITY OF HEALTH-CARE SERVICES FOR ADOLESCENTS

Volume 4: Scoring sheets for data analysis

GLOBAL STANDARDS FOR QUALITY HEALTH-CARE SERVICES FOR ADOLESCENTS

A guide to implement a standards-driven approach to improve the quality of health-care services for adolescents

Volume 4: Scoring sheets for data analysis









WHO Library Cataloguing-in-Publication Data

Global standards for quality health-care services for adolescents: a guide to implement a standards-driven approach to improve the quality of health care services for adolescents. Volume 4: Scoring sheets for data analysis

4 v.

Contents: Volume 1: Standards and criteria - Volume 2: Implementation guide - Volume 3: Tools to conduct quality and coverage measurement surveys to collect data about compliance with the global standards - Volume 4: Scoring sheets for data analysis

1.Adolescent Health Services – standards. 2.Quality of Health Care. 3.Adolescent. 4.Data Collection. 5. Health Care Surveys – methods. 6.National Health Programs. I.World Health Organization.

ISBN 978 92 4 154933 2 (NLM classification: WA 330)

© World Health Organization 2015

All rights reserved. Publications of the World Health Organization are available on the WHO website (www.who.int) or can be purchased from WHO Press, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel.: +41 22 791 3264; fax: +41 22 791 4857; e-mail: bookorders@who.int).

Requests for permission to reproduce or translate WHO publications -whether for sale or for non-commercial distribution- should be addressed to WHO Press through the WHO website (www.who.int/about/licensing/copyright_form/en/index.html).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Printed in Switzerland


Cover photo: Camila Eugenia Vargas

Design by Inís Communication – www.iniscommunication.com

CONTENTS

| Acknowledgments | V |
|----------------------------------|----|
| Abbreviations | Vİ |
| Introduction | 1 |
| Scoring sheets for data analysis | 2 |





ACKNOWLEDGMENTS

The World Health Organization (WHO) is grateful to all those who gave technical input into the production of this document.

Lead writers: Subidita Chatterjee (independent consultant) and Valentina Baltag (WHO).

WHO working group: Paul Bloem, Krishna Bose (formerly WHO), Venkatraman Chandra-Mouli, Charlotte Christiansen (formerly WHO), Jane Ferguson, Nuhu Yaqub.

Peer review (WHO): Anastasyia Dumcheva, (WHO Country Office in Ukraine), Symplice Mbola Mbassi (WHO Regional Office for Africa), Howard Sobel (WHO Regional Office for the Western Pacific).

Peer review (UNAIDS): Jude Padayachy (lead reviewer), Adriana Hewson.

Peer review (external review group): Regina Benevides (Evidence to Action, United States of America), Doortje Braeken (International Planned Parenthood Federation, United Kingdom), Scott Burnett (loveLife, South Africa), Danielle Engel (United National Population Fund, United States of America), Mychelle Farmer (Jhpiego, United States of America), Bamikale Feyisetan (Evidence to Action, United States of America), Gwyn Hainsworth (Pathfinder International, United States of America), Jari Kempers (Qalys Health Economics, Estonia), Vijay Kumar (Survival for Women and Children Foundation, India), Catherine Lane (United States Agency for International Development, United States of Amercia), Laura Laski (United National Population Fund, United States of America), Galina Lesco (National Resource Centre in YFHS "Neovita", Republic of Moldova), Ricky Lu (Jhpiego, United States of America), Elizabeth Mapella (Ministry of Health, United Republic of Tanzania), Edgar Necochea (Jhpiego, United States of America), Beth Outterson (Save the Children, United States of America), Elizabeth Saewyc (University of British Columbia, Canada), Olena Sakovych (United Nations Children's Fund, Ukraine), Susan Sawyer (University of Melbourne, Australia), Kat Watson (International Planned Parenthood Federation, United Kingdom), Sylvia Wong (United National Population Fund, United States of America).

Editing: Jura Editorial Services, Gex, France.

ABBREVIATIONS

HMIS health management information systems

NGO nongovernmental organizations

SOP standard operating procedure

WHO World Health Organization



INTRODUCTION

This document is part of the Global standards for quality health-care services for adolescents: a guide to implement a standards-driven approach to improve the quality of health-care services for adolescents. It is one of four volumes published separately, which include:

- Volume 1: Standards and criteria
- Volume 2: Implementation guide
- Volume 3: Tools to conduct quality and coverage measurement surveys to collect data about compliance with the global standards
- Volume 4: Scoring sheets for data analysis

This volume, Scoring sheets for data analysis, is to be used in conjunction with the monitoring tools in Volume 3. Using this data analysis method, countries can determine compliance with quality standards.

How to use this volume:

The scoring sheets in this volume are organized by criterion. There is a separate scoring sheet for each criterion. The total scores for all the criteria that apply to a standard are averaged to yield an overall score for that standard.

SCORING SHEETS FOR DATA ANALYSIS

(click on the criterion's number to go directly to its scoring sheet)

| Criterion 1. | 3 | Criterion 28. | 45 | Criterion 55 . | 96 |
|---------------|-----|-----------------------|-----|-----------------------|-----|
| Criterion 2. | 4_ | Criterion 29. | 52 | Criterion 56 . | 97 |
| Criterion 3. | 5_ | Criterion 30. | 53 | Criterion 57 . | 97 |
| Criterion 4. | 6 | Criterion 31. | 54 | Criterion 58 . | 98 |
| Criterion 5. | 7 | Criterion 32 . | 62 | Criterion 59 . | 98 |
| Criterion 6. | 7 | Criterion 33 . | 65 | Criterion 60 . | 100 |
| Criterion 7. | 9 | Criterion 34 . | 65 | Criterion 61. | 101 |
| Criterion 8. | 10 | Criterion 35 . | 66 | Criterion 62 . | 102 |
| Criterion 9. | 13 | Criterion 36 . | 67 | Criterion 63 . | 102 |
| Criterion 10. | 15 | Criterion 37 . | 70 | Criterion 64 . | 103 |
| Criterion 11. | 16 | Criterion 38 . | 71_ | Criterion 65 . | 104 |
| Criterion 12. | 17 | Criterion 39 . | 74 | Criterion 66 . | 105 |
| Criterion 13. | 17 | Criterion 40 . | 75 | Criterion 67 . | 107 |
| Criterion 14. | 18 | Criterion 41 . | 76 | Criterion 68 . | 107 |
| Criterion 15. | 19 | Criterion 42 . | 77_ | Criterion 69 . | 108 |
| Criterion 16. | 21_ | Criterion 43. | 81 | Criterion 70 . | 109 |
| Criterion 17. | 21_ | Criterion 44. | 84_ | Criterion 71. | 110 |
| Criterion 18. | 24 | Criterion 45 . | 86 | Criterion 72 . | 110 |
| Criterion 19. | 25 | Criterion 46 . | 87 | Criterion 73 . | 111 |
| Criterion 20. | 26 | Criterion 47 . | 88 | Criterion 74 . | 112 |
| Criterion 21. | 28 | Criterion 48. | 90 | Criterion 75 . | 113 |
| Criterion 22. | 36 | Criterion 49. | 91 | Criterion 76 . | 115 |
| Criterion 23. | 37 | Criterion 50 . | 92 | Criterion 77. | 116 |
| Criterion 24. | 38 | Criterion 51 . | 93 | Criterion 78. | 117 |
| Criterion 25. | 40 | Criterion 52 . | 94 | Criterion 79. | 118 |
| Criterion 26. | 41_ | Criterion 53 . | 95 | | |
| Criterion 27. | 43 | Criterion 54 . | 95 | | |

CRITERION 1.

The health facility has a signboard that mentions operating hours.

| Adolescent client exit interview tool | | | |
|---------------------------------------|--|-------------|--|
| Number | Question | Response | Score |
| 2 | Did you notice any signboard in a language you understand that mentions the operating hours of the facility? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate adolescent client score | | | Total score |

| Direct observation (checklist) tool | | | |
|-------------------------------------|--|-------------|---------------------------------|
| Number | Question | Response | Score |
| 1a | Is there a signboard that mentions the facility operating hours? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 1b | Is it clearly visible? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 1c | Does it mention hours for adolescent health clinics? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| Aggregate | direct observation (checklist) score | | Total score |

| Adolescent in the community interview tool | | | |
|---|---|----------------------------------|---|
| Number | Question | Response | Score |
| 9 | Did you notice any signboard in a language you understand that mentions the facility operating hours? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| Aggregate adolescent in the community score | | | Total score |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–3 | |
| 3 | Aggregate adolescent in the community score | 0–1 | |
| Abso | lute total score | 0–5 | |
| Relati | ve score for Criterion 1 | 0 to 100% | $\left(\frac{\text{Total score}}{5}\right) \times 100$ |

CRITERION 2.

The health facility has in the waiting area up-to-date information, education and communication materials specifically developed for adolescents.

| Adolescent client exit interview tool | | | |
|---------------------------------------|--|------------------------------|--|
| Number | Question | Response | Score |
| 11a | Did you see informational materials for adolescents, including video or TV, in the waiting area? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 11b | Did you like the informational materials? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate | adolescent client score | | Total score |

| Direct observation (checklist) tool | | | | |
|---|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 2b | Does the waiting area have information, education and communication materials specifically developed for adolescents? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate direct observation (checklist) score Total score | | | | |

| Adolescent in the community interview tool | | | | |
|--|--|-------------------------------------|--|--|
| Number | Question | Response | Score | |
| 11a | Did you see informational materials for adolescents, including video or TV, in the waiting area? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed | |
| 11b | Did you like the informational materials? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed | |
| Aggregate | adolescent in the community score | | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate adolescent client score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate adolescent in the community score | 0–2 | |
| Absol | lute total score | 0–5 | |
| Relati | ve score for Criterion 2 | 0 to 100% | $\left(\frac{\text{Total score}}{5}\right) \times 100$ |

CRITERION 3.

Health-care providers have competencies to provide health education to adolescents and to communicate about health and available services (health, social and other services).

| Health facility manager interview tool | | | | |
|--|---|------------------------------|--|--|
| Number | Question | Response | Score | |
| 3a | Could you tell me which of these components were covered by the training in adolescent health? Communication skills to talk to adolescents | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of managers interviewed | |
| Aggregate | health facility manager score | | Total score | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 13a | Check to see training records/reports for the following topics. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Communication skills to talk to adolescents | | | |
| Aggregate | direct observation (checklist) score | | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|---|---|---|--|
| Number | Question | Response | Score | |
| 4a | Have you received the following training in adolescent health care: Communication skills to talk to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| 25 | How comfortable do you feel in your ability to relate to adolescents and answer their questions? | 1=Confident, 0=Somewhat/not confident | Total number responses coded "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

| Support staff interview tool | | | | |
|------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 6a | Have you received any training/ orientation on the following topics: How to communicate effectively with ado- lescent clients? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed | |
| Aggregate | support staff score | Total score | | |

| | Category | Minimum – Maximum | Score |
|--------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–2 | |
| 4 | Aggregate support staff score | 0–1 | |
| Absolute total score | | 0–5 | |
| Relative score for Criterion 3 | | 0 to 100% | $\left(\frac{\text{Total score}}{5}\right) \times 100$ |

CRITERION 4.

The health facility has outreach workers that are trained to conduct health education for adolescents in the community.

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 13h | Check to see training records/reports for the following topics. Training of outreach workers in adolescent | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| health care | | | | |
| Aggregate | direct observation (checklist) score | | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 15a | Have you ever trained any of the following groups in these areas: Outreach workers in adolescent health care? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

| | Category | Minimum – Maximum | Score |
|--------------------------------|--|-------------------|--|
| 1 | Aggregate direct observation (checklist) score | 0–1 | |
| 2 | Aggregate health-care provider score | 0–1 | |
| Absolute total score | | 0–2 | |
| Relative score for Criterion 4 | | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 5.

The health facility has a plan for outreach activities and/or involvement of outreach workers in activities to promote health and increase adolescents' use of services.

| Health facility manager interview tool | | | | |
|---|--|-------------|--|--|
| Number | Question | Response | Score | |
| 16b | Does the facility have a documented plan: To inform adolescents in the community (in schools, clubs, community meetings) about their health and the services available? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of managers interviewed | |
| Aggregate health facility manager score | | | Total score | |

| Health-care provider interview tool | | | | |
|--------------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 34 | Do you have a plan for outreach activities? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate health-care provider score | | | Total score | |

Overall score on Criterion 5

| | Category | Minimum – Maximum | Score |
|--------------------------------|--------------------------------------|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate health-care provider score | 0–1 | |
| Absolute total score | | 0–2 | |
| Relative score for Criterion 5 | | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 6.

Health-care providers provide age and developmentally appropriate health education and counselling to adolescent clients and inform them about the availability of health, social services and other services.

| Adolescent client exit interview tool | | | | |
|---------------------------------------|--|-------------|--|--|
| Number | Question | Response | Score | |
| 8 | Did anybody tell you, today or in other occasions, what other services you can obtain in this facility? | 1=Yes, 0=No | Total number of responses coded "1" divided by the total number of adolescent clients interviewed | |
| 17a | Did any service provider talk to you about how to prevent diseases and what to do to stay healthy? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |

| Number | Question | Response | Score |
|-----------------------------------|---|-------------|--|
| 17b | Did the service provider inform you about the services available? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate adolescent client score | | | Total score |

| Direct observation (client-provider interaction) tool | | | | |
|---|--|-------------|---|--|
| Number | Question | Response | Score | |
| 16b | During the consultation did the service provider do the following: Talk about how to prevent diseases and what to do to stay healthy? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 16c | During the consultation did the service provider do the following: Inform the adolescent client about the services available for him/her? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| Aggregate | direct observation (client-provider interaction) | score | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 20 | Do you inform adolescents about the availability of health, social services and other services available? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

| Adolescent in the community interview tool | | | |
|--|---|----------------------------------|--|
| Number | Question | Response | Score |
| 26a | Did anybody tell you, that time or on other occasions, what other services you can obtain in the nearby facility? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| 26b | Could you tell me what (other) services are provided to adolescents in the nearby facility? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed |
| Aggregate | adolescent in the community score | | Total score |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate adolescent client score | 0–3 | |
| 2 | Aggregate direct observation (client-provider interaction) score | 0–2 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| 4 | Aggregate adolescent in the community score | 0–2 | |
| Absol | ute total score | 0–8 | |
| Relati | ve score for Criterion 6 | 0 to 100% | $\left(\frac{\text{Total score}}{8}\right) \times 100$ |

CRITERION 7.

Outreach activities to promote health and increase adolescents' use of services are carried out according to the health facility's plan.

| Direct observation (checklist) tool | | | | |
|-------------------------------------|--|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 9e | Check to see the following registers, tools and records. Register/records of accomplished outreach activities to inform adolescents in community settings | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate | direct observation (checklist) score | | Total score | |

| Health-care provider interview tool | | | |
|-------------------------------------|---|-------------|---|
| Number | Question | Response | Score |
| 35c | During the last 12 months, have you: Conducted any outreach sessions with adolescents to inform them about the services available? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 35d | During the last 12 months, have you: Conducted any outreach sessions with adolescents on health education about various topics? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | health-care provider score | | Total score |

| Adolescent in the community interview tool | | | |
|--|---|----------------------------------|---|
| Number | Question | Response | Score |
| 30 | Did you ever participate in any community sessions on health education organized by a community health worker or volunteer? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | adolescent in the community score | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate direct observation (checklist) score | 0–1 | |
| 2 | Aggregate health-care provider score | 0–2 | |
| 3 | Aggregate adolescent in the community score | 0–1 | |
| Absol | ute total score | 0–4 | |
| Relati | ve score for Criterion 7 | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 8.

Adolescents are knowledgeable about health.

| Adolesce | nt client exit interview tool | | |
|----------|--|--|--|
| Number | Question | Response | Score |
| 25a | What do you know about anaemia? | 1=Satisfactory answer (yes), 0=No | Total number of responses coded "1" divided by the total number of adolescent clients interviewed |
| 25b | Do you know how to prevent anaemia? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 26a | Can you name any health or other consequences of getting married very young? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 26b | Can you name any health consequences of having a baby at a young age? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 27a | Do you know what is the minimum number of check-ups that a pregnant woman should get? (Ask 15–19 year olds only.) | 1=Correct answer, 0= Doesn't know or incorrect answer | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 28a | Can you name any methods of contraception? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 28c | Have you ever heard about emergency contraceptive pills? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 28d | Do you know what they are used for? (Ask 15–19 year olds only.) | 1= Stopping a pregnancy from happening, 0=No, 10= Other (please specify) | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |

| Number | Question | Response | Score |
|-----------|---|-------------|--|
| 29a | Have you heard about condoms? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 29b | Could you tell me why a condom is used? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 30a | Have you heard of HIV? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 30b | Could you please answer the following questions on HIV? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 32 | Do you know what care to take each month during the menstrual cycle? (Ask girls only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 33a | Have you ever heard of diseases that can be transmitted through sexual intercourse? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 33b | Do you know any symptoms of sexually transmitted infections? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | adolescent client score | | Total score |

| Adolesce | Adolescent in the community interview tool | | | |
|----------|--|--|---|--|
| Number | Question | Response | Score | |
| 31a | What do you know about anaemia? | 1=Satisfac- tory answer (yes), 0=Nothing | Total number of responses coded "1" divided by the total number of adolescents in the community interviewed | |
| 31b | Do you know how to prevent anaemia? | 1=Yes, 0=No | Total number of responses coded "1" divided by the total number of adolescents in the community interviewed | |
| 32 | Can you name any health or other consequences of getting married very young? | 1=Yes, 0=No | Total number of responses coded "1" divided by the total number of adolescents in the community interviewed | |
| 33a | Can you name any health consequences of having a baby at a young age? | 1=Yes, 0=No | Total number of responses coded "1" divided by the total number of adolescents in the community interviewed | |

| Number | Question | Response | Score |
|-----------|---|--|--|
| 33b | Do you know what is the minimum number of check-ups that a pregnant woman should get? (Ask 15–19 year olds only.) | 1=Correct answer, 0= Doesn't know or incorrect answer | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| 34a | Can you name any methods of contraception or family planning? (Ask 15–19 year old only.) | 1=Yes, 0=No | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| 34c | Have you ever heard about emergency contraceptive pills? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| 34d | Do you know what they are used for? (Ask 15–19 year olds only.) | 1= Stopping a pregnancy from happening, 0=No, 10= Other (please specify) | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| 35a | Have you heard about condoms? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 35b | Could you tell me why a condom is used? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| 36a | Have you heard of HIV? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed |
| 36b | Could you please answer the following questions on HIV? | 1=Yes, 0=No | Total number of responses coded "1" divided by the total number of adolescents in the community interviewed |
| 38 | Do you know what care to take each month during the menstrual cycle? (Ask girls only.) | 1=Yes, 0=No | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| 39a | Have you ever heard of diseases that can be transmitted through sexual intercourse? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 39b | Do you know any symptoms of sexually transmitted infections? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | adolescent in the community score | | Total score |

| | Category | Minimum – Maximum | Score |
|--------|---|-------------------|---|
| 1 | Aggregate adolescent client score | 0–15 | |
| 2 | Aggregate adolescent in the community score | 0–15 | |
| Absol | lute total score | 0–30 | |
| Relati | ve score for Criterion 8 | 0 to 100% | $\left(\frac{\text{Total score}}{30}\right) \times 100$ |

CRITERION 9.

Adolescents are aware of what health services are being provided, where and when they are provided and how to obtain them.

| Adolesce | Adolescent client exit interview tool | | | |
|-----------------------------------|--|--|--|--|
| Number | Question | Response | Score | |
| 9 | Could you tell me what (other) services are provided to adolescents in this facility? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| 10 | If one day you will need services that are not provided in this facility, do you know where to go, or whom to ask? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| 27b | Do you know where an adolescent girl can go for such check-ups? (Ask 15–19 year olds only.) | 1=Cor- rect answer, 0=Doesn't know or incor- rect answer | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" | |
| 28b | Do you think you could get one if you needed it? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 28e | Do you think you could get them if you needed them? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 29c | If you or your friends would need a condom, can you tell me where to get one? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" | |
| 30c | If you would want to get tested for HIV would you be able to get tested? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| 31 | If an adolescent in your locality had an unwanted pregnancy, would they know where to go for medical advice? | 1=Yes, 0=No, Don't know=8 | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" | |
| 33c | If you or someone of your age had these problems, would you know where to go for check-up and treatment? | 1=Yes, 0=No, Don't know=8 | Total number of responses coded "1" divided by the total number of adolescents clients interviewed | |
| Aggregate adolescent client score | | | Total score | |

| Adolescent in the community interview tool | | | |
|--|--|--|--|
| Number | Question | Response | Score |
| 27 | If one day you will need services that are not provided in this facility, do you know where to go, or whom to ask? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed |
| 33c | Do you know where an adolescent girl can go for such check-ups? (Ask 15–19 year olds only.) | 1=Correct answer, 0=Doesn't know or incorrect answer | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| 34b | Do you think you could obtain a method if you needed one? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 34e | Do you think you could obtain them if you needed them? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 35c | If you or your friends needed a condom, do you know where to get them? (Ask 15–19 year olds only.) | 1=Yes, 0=No | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| 36c | If you would want to get tested for HIV, do you know where you can readily get an HIV test? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed |
| 37 | If an adolescent in your locality had an unwanted pregnancy, would they know where to go for medical advice? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" |
| 39c | If you or someone of your age had these problems, would you know where to go for check-up and treatment? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded "1" divided by the total number of adolescents in the community interviewed |
| Aggregate | adolescent in the community score | | Total score |

| | Category | Minimum – Maximum | Score |
|-------|---|-------------------|---|
| 1 | Aggregate adolescent client score | 0–9 | |
| 2 | Aggregate adolescent in the community score | 0–8 | |
| Abso | lute total score | 0–17 | |
| Relat | ive score for Criterion 9 | 0 to 100% | $\left(\frac{\text{Total score}}{17}\right) \times 100$ |

CRITERION 10.

Health-care providers have competencies and support materials to communicate with parents, guardians and other community members and organizations about the value of providing health services to adolescents.

| Health facility manager interview tool | | | | |
|---|--|------------------------------|---|--|
| Number | Question | Response | Score | |
| 3b | Could you tell me which of these components were covered by training in adolescent health? Communication skills to talk to adult visitors/community members | 1=Yes, 0=No, 8=Don't know | Total number of responses coded "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate health facility manager score | | Total score | | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|--|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 13b | Check to see training records/reports for the following topics. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Communication skills to talk to adult visitors and community members | | | |
| Aggregate | direct observation (checklist) score | Total score | | |

| Health-ca | Health-care provider interview tool | | | |
|-----------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 4b | Have you received the following training in adolescent health care: Communication skills to talk to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| 19 | Do you have support materials to communicate with parents, guardians and other community members and organizations about the value of providing health services to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–2 | |
| Absol | lute total score | 0–4 | |
| Relati | ve score for Criterion 10 | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 11.

The health facility has an updated list of agencies and organizations with which it partners to increase community support for adolescents' use of services.

| Health facility manager interview tool | | | | |
|---|--|-------------|---|--|
| Number | Question | Response | Score | |
| 18a | Do you have at hand updated lists of: Agencies and organizations the facility partners with to increase community support for adolescent use of services? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate health facility manager score | | Total score | | |

| Direct observation (checklist) tool | | | |
|-------------------------------------|--|-------------|---------------------------------|
| Number | Question | Response | Score |
| 15a | Check the availability of the following lists. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | Updated list of agencies and organizations with which the facility partners to increase community support for adolescent use of services | | |
| Aggregate | direct observation (checklist) score | | Total score |

| | Category | Minimum – Maximum | Score |
|------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| Abso | olute total score | 0–2 | |
| Rela | tive score for Criterion 11 | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 12.

The health facility has a plan for outreach activities and/or involvement of outreach workers in activities to increase gatekeepers' support for adolescents' use of services.

| Health facility manager interview tool | | | | |
|--|--|-------------|--|--|
| Number | Question | Response | Score | |
| 16a | Does the facility have a documented plan: To inform adults, when they visit the health facility, during community meetings and through community organizations, about the value of providing services to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | | Total score | |

Overall score on Criterion 12

| | Category | Minimum – Maximum | Score |
|---------|----------------------------------|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| Absol | ute total score | 0–1 | |
| Relativ | ve score for Criterion 12 | 0 to 100% | $\left(\frac{\text{Total score}}{1}\right) \times 100$ |

CRITERION 13.

The health facility engages in partnerships with adolescents, gatekeepers and community organizations to develop health education and behaviour-oriented communication strategies and materials and plan service provision.

| Direct observation (checklist) tool | | | | |
|-------------------------------------|--|----------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 9h | Check to see the following registers, tools and records. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Record(s) of formal agreements/partnerships with community organizations to develop health education and behavior-oriented communications strategies and materials, and plan service provision | | | |
| Aggregate | direct observation (checklist) score | | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|---|----------------|---|--|
| Number | Question | Response | Score | |
| 17a | Have you ever worked with: Agencies and organizations in the community to develop health education and behaviour-oriented communication strategies and materials and plan service provision? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

| | Category | Minimum – Maximum | Score |
|----------------------|--|-------------------|--|
| 1 | Aggregate direct observation (checklist) score | 0–1 | |
| 2 | Aggregate health-care provider score | 0–1 | |
| Absolute total score | | 0–2 | |
| Relat | ive score for Criterion 13 | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 14.

Health-care providers inform parents/guardians visiting the health facility about the value of providing health services to adolescents.

| Health-care provider interview tool | | | | |
|--------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 18 | Do you inform adults visiting the health facility about services available for adolescents, and why it is important that adolescents use the services? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate health-care provider score | | | Total score | |

| Adult client exit interview tool | | | |
|----------------------------------|---|----------------------------------|--|
| Number | Question | Response | Score |
| За | Has any service provider every discussed with you the services available for adolescents and why it is important that adolescents use the services? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 3b | During this discussion did the service provider give you any leaflets or other educational materials? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 3c | Did you find these materials informative or useful? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | adult client score | | Total score |

| Adult community member interview tool | | | | |
|---------------------------------------|---|----------------------------------|--|--|
| Number | Question | Response | Score | |
| 3a | Has any service provider every discussed with you the services available for adolescents and why it is important that adolescents use the services? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |

| Number | Question | Response | Score |
|--|---|----------------------------------|--|
| 3b | During this discussion did the service provider give you any leaflets or other educational materials? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate adult community member score | | | Total score |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate health-care provider score | 0–1 | |
| 2 | Aggregate adult client score | 0–3 | |
| 3 | Aggregate adult community member score | 0–2 | |
| Absolute total score | | 0–6 | |
| Relative score for Criterion 14 | | 0 to 100% | $\left(\frac{\text{Total score}}{6}\right) \times 100$ |

CRITERION 15.

Health-care providers and/or outreach workers inform parents/guardians and teachers during school meetings about the value of providing health services to adolescents.

| Direct observation (checklist) tool | | | | |
|--|--|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 9g | Check to see the following registers, tools and records. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Register/records of accomplished outreach activities to inform parents/guardians and teachers during school meetings about the value of providing health services to adolescents | | | |
| Aggregate direct observation (checklist) score | | | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|---|-------------|--|--|
| Number | Question | Response | Score | |
| 35a | During the last 12 months, have you: Participated in school meetings to inform parents/guardians and teachers about the health services available for adolescents, and why it is important that they use the services? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

| Adult client exit interview tool | | | | |
|----------------------------------|---|----------------------------------|--|--|
| Number | Question | Response | Score | |
| 4a | Have you ever attended any community or school meetings where the value of providing health services to adolescents or youth was discussed? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 4b | Were any leaflets or other educational materials distributed in this meeting? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 4c | Did you find these materials informative or useful? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate | adult client score | | Total score | |

| Adult community member interview tool | | | |
|---------------------------------------|---|----------------------------------|--|
| Number | Question | Response | Score |
| 4a | Have you ever attended any community or school meetings where the value of providing health service to adolescents was discussed? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 4b | Were any leaflets or other educational materials distributed in this meeting? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 4c | Did you find these materials informative/useful? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | community member score | | Total score |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate direct observation (checklist) score | 0–1 | |
| 2 | Aggregate health-care provider score | 0–1 | |
| 3 | Aggregate adult client score | 0–3 | |
| 4 | Aggregate adult community member score | 0–3 | |
| Absol | ute total score | 0–8 | |
| Relati | ve score for Criterion 15 | 0 to 100% | $\left(\frac{\text{Total score}}{8}\right) \times 100$ |

CRITERION 16.

Health-care providers and/or outreach workers inform youth and other community organizations about the value of providing health services to adolescents.

| Direct observation (checklist) tool | | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|--|
| Number | Question | Response | Score | | |
| 9f | Check to see the following registers, tools and records. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | | |
| | Register/records of accomplished outreach activities to inform youth and other community organizations about the value of providing health services to adolescents. | | | | |
| Aggregate | Aggregate direct observation (checklist) score Total score | | | | |

| Health-care provider interview tool | | | | |
|-------------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 37b | During the last 12 months, have you: Participated in meetings with youth and other community organizations to inform them about the health services available for adolescents and why it is important that adolescents use the services? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

Overall score on Criterion 16

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate direct observation (checklist) score | 0–1 | |
| 2 | Aggregate health-care provider score | 0–1 | |
| Absolute total score | | 0–2 | |
| Relative score for Criterion 16 | | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 17.

Gatekeepers and community organizations support the provision of health services to, and their utilization by, adolescents.

| Adolescent client exit interview tool | | | | |
|---------------------------------------|---|------------------------------|--|--|
| Number | Question | Response | Score | |
| 5 | Does your guardian (parent/spouse/in-laws/other) support your using this health facility? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| Aggregate adolescent client score | | | Total score | |

| umber | Question | Response | Score |
|-------|--|----------------------------------|--|
| 5a | Do you know why it is important to provide services to adolescents, and that they use the services? | 1=Yes, 0=No, 7=Can't remember | Total number of response coded as "1" divided by the total number of adult clients interviewed |
| 6a | Do you agree that following services should be provided to all adolescents regardless of sex, age or marital status? Hormonal contraceptives? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult clients interviewed |
| 6b | Do you agree that following services should be provided to all adolescents regardless of sex, age or marital status? Condoms? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult clients interviewed |
| 6c | Do you agree that following services should be provided to all adolescents regardless of sex, age or marital status? STI treatment? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult clients interviewed |
| 6d | Do you agree that following services should be provided to all adolescents regardless of sex, age or marital status? HIV testing and counselling? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult clients interviewed |
| 6e | Do you agree that following services should be provided to all adolescents regardless of sex, age or marital status? Medical termination of pregnancy/abortion (where legal)? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult clients interviewed |
| 6f | Do you agree that following services should be provided to all adolescents regardless of sex, age or marital status? Mental health services? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult clients interviewed |
| 6g | Do you agree that following services should be provided to all adolescents regardless of sex, age or marital status? Services in case of disclosure of violence? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult clients interviewed |
| 6h | Do you agree that following services should be provided to all adolescents regardless of sex, age or marital status? Nutrition services, for example anaemia treatment? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult clients interviewed |

| umber | Question | Response | Score |
|-------|---|---|--|
| 1b | Do you know why it is important to provide services to adolescents, and why it is important that adolescents use the services? Can you tell me why? | 1=Yes, 0=No, 7=Can't remember | Total number of response coded "1" divided by the total number of adult community members interviewed |
| 2a | Do you know where adolescents in this community can get health services? | 1=Correct answer, 0=Doesn't know or incorrect | Total number of response coded "1" divided by the total number of adult community members interviewed |
| 5a | Do you agree that the following services should be provided to adolescents irrespective of age or marital status? Hormonal contraceptives? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult community members interviewed |
| 5b | Do you agree that the following services should be provided to adolescents irrespective of age or marital status? Condoms? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult community members interviewed |
| 5c | Do you agree that the following services should be provided to adolescents irrespective of age or marital status? Treatment for sexually transmitted diseases? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult community members interviewed |
| 5d | Do you agree that the following services should be provided to adolescents irrespective of age or marital status? HIV testing and counselling? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult community members interviewed |
| 5e | Do you agree that the following services should be provided to adolescents irrespective of age or marital status? Medical termination of pregnancy/abortion (where legal)? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult community members interviewed |
| 5f | Do you agree that the following services should be provided to adolescents irrespective of age or marital status? Mental health services? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult community members interviewed |
| 5g | Do you agree that the following services should be provided to adolescents irrespective of age or marital status? Services in case of disclosure of violence? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult community members interviewed |
| 5h | Do you agree that the following services should be provided to adolescents irrespective of age or marital status? Nutrition services, for example, anaemia treatment? | 1=Yes, 0=No, 8=Don't know | Total number of response coded as "1" divided by the total number of adult community members interviewed |

| Adolescent in the community interview tool | | | | |
|--|---|----------------------------------|--|--|
| Number | Question | Response | Score | |
| 5b | Did your guardian (parent/spouse/in-laws/other) agree that you should attend? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed | |
| Aggregate | adolescent in the community score | Total score | | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|---|-------------------|---|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate adult client score | 0–9 | |
| 3 | Aggregate adult community member score | 0–10 | |
| 4 | Aggregate adolescent in the community score | 0–1 | |
| Absolute total score | | 0–21 | |
| Relative score for Criterion 17 | | 0 to 100% | $\left(\frac{\text{Total score}}{21}\right) \times 100$ |

CRITERION 18.

Policies are in place that define the required package of health information, counselling, diagnostic, treatment and care services and enable its provision.

| Health facility manager interview tool | | | | |
|--|--|-------------|--|--|
| Number | Question | Response | Score | |
| 18d | Do you have at hand updated lists of: Services included in the package of information, counselling, treatment and care services that are to be provided to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | Total score | | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 15d | Check the availability of the following lists. Services included in the package of information, counselling, treatment and care services to be provided to adolescents | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate | direct observation (checklist) score | Total score | | |

| Health-care provider interview tool | | | | |
|--------------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 6 | Are you aware of services included in the package of information, counselling, treatment and care services to be provided to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate health-care provider score | | | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Absol | ute total score | 0–3 | |
| Relati | ve score for Criterion 18 | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

CRITERION 19.

Policies and procedures are in place that identify which health services are provided in the health facility and which in community settings such as schools.

| Health facility manager interview tool | | | |
|--|---|-------------|---|
| Number | Question | Response | Score |
| 7b | Do you have any of the following guidelines/SOPs in your facility? SOPs for which services should be provided in the facility and which in the community | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 16c | Does the facility have a documented plan: For provision of health services to adolescents in community settings? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| Direct observation (checklist) tool | | | | |
|---|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 14a | Check to see if there are the following SOPs/guidelines. SOPs for which services should be provided in the facility and which in the community | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate direct observation (checklist) score Total score | | | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 8a | Are you aware of the following SOPs/guidelines? SOPs for which services should be provided in the facility and which in the community? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Absol | ute total score | 0–4 | |
| Relati | ve score for Criterion 19 | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 20.

Policies and procedures are in place that describe the referral system to services within and outside the health sector, including provisions for transition care for adolescents with chronic conditions.

| Health facility manager interview tool | | | | |
|--|---|-------------|---|--|
| Number | Question | Response | Score | |
| 7c | Do you have any of the following guidelines/SOPs in your facility? Referral guidelines | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 7d | Do you have any of the following guidelines/SOPs in your facility? Policy/SOPs for a planned transition from paediatric to adult care | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 18b | Do you have at hand updated lists of: Organizations from the health and other sectors, for example, social, recreational, legal sectors, that provide services to adolescents in the catchment area? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | Aggregate health facility manager score Total score | | | |

| Direct obs | Direct observation (checklist) tool | | | |
|------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 9d | Check to see the following registers, tools and records. Referral register | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| 14b | Check to see if there are the following SOPs/guidelines. Referral guidelines | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| 14c | Check to see if there are the following SOPs/guidelines. Policy/SOPs for a planned transition from paediatric to adult care. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| 15b | Check the availability of the following lists. Organizations from the health and other sectors (social, recreational, legal, etc.) providing services to adolescents in the catchment area | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate | direct observation (checklist) score | | Total score | |

| Health-care provider interview tool | | | |
|-------------------------------------|--|-------------|---|
| Number | Question | Response | Score |
| 8b | Are you aware of the following SOPs/guidelines: Referral guidelines/SOPs? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 8c | Are you aware of the following SOPs/guidelines: Policy/SOPs for a planned transition from paediatric to adult care? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | health-care provider score | | Total score |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–3 | |
| 2 | Aggregate direct observation (checklist) score | 0–4 | |
| 3 | Aggregate health-care provider score | 0–2 | |
| Abso | lute total score | 0–9 | |
| Relative score for Criterion 20 | | 0 to 100% | $\left(\frac{\text{Total score}}{9}\right) \times 100$ |

CRITERION 21.

Health-care providers provide the required package of health information, counselling, diagnostic, treatment and care services in the facility and/or in community settings, in line with policies and procedures.

| Adolescent client exit interview tool | | | |
|---------------------------------------|---|------------------------------|--|
| Number | Question | Response | Score |
| 24 | Have you ever received information, counselling or health services in the community setting (for example in school, clubs, community meetings, or any other?) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 29d | Do you feel you could get a condom if you needed one? (Ask 15–19 year olds only.) | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1", "0" and "8" |
| Aggregate | adolescent client score | | Total score |

| Direct observation (client-provider interaction) tool | | | | |
|--|--|-------------|---|--|
| Number | Question | Response | Score | |
| 16a | During the consultation did the service provider do the following: Provide sufficient time for counselling or consultation as required for the problem? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| Aggregate direct observation (client-provider interaction) score Total score | | | | |

| Health-care provider interview tool | | | | |
|-------------------------------------|---|--|---|--|
| Number | Question | Response | Score | |
| За | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Normal growth and pubertal development | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories | |

| Number | Question | Response | Score |
|--------|---|--|---|
| 3b | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Pubertal delay | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| Зс | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Precocious puberty | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 3d | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Mental health and mental health problems | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |

| Number | Question | Response | Score |
|--------|---|--|---|
| 3e | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Nutrition, including anaemia | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 3f | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Physical activity | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 3g | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Adolescent-specific immunization | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |

| Number | Question | Response | Score |
|--------|--|--|---|
| 3h | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Menstrual hygiene and health | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 3i | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Family planning and contraception – oral contraceptive pills, IUDs, condoms, emergency contraceptive pills, implants, injectable contraceptives | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 3j | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Safe abortion (where legal), and post-abortion care | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |

| Number | Question | Response | Score |
|--------|---|--|---|
| 3k | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Antenatal care and emergency preparedness, delivery and postnatal care | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 31 | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Reproductive tract infections/sexually transmitted infections | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 3m | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |

| Number | Question | Response | Score |
|--------|---|--|---|
| 3n | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Sexual violence | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 30 | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Family violence | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| Зр | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Bullying and school violence | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |

| Number | Question | Response | Score |
|--------|--|--|---|
| 3q | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Substance use and substance use disorders | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 3r | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Injuries | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 3s | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Skin problems | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |

| Number | Question | Response | Score |
|-----------|--|--|---|
| 3t | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Chronic conditions and disabilities | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 3u | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Endemic diseases | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 3v | When an adolescent client comes to your clinic, do you provide services for any of the following conditions or needs? Common conditions during adolescence (fatigue, abdominal pain, diarrhoea, headache) | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical services: 1=Yes, 0=No Referral: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the four categories – information, counselling and clinical services, referral Score 0.75 if "Yes" is answered in any three of the four categories – information, counselling and clinical services, referral Score 0.5 if "Yes" is answered in any two of the four categories – information, counselling and clinical services, referral Score 0.25 if "Yes" is answered in any one of the four categories – information, counselling and clinical services, referral Score 0 for "No" in all four categories |
| 17b | Have you ever worked with: Organizations from health and other sectors (for example social, recreational, legal) to establish referral networks for adolescent clients? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | health-care provider score | | Total score |

| Adolescent in the community interview tool | | | | |
|--|---|----------------------------------|--|--|
| Number | Question | Response | Score | |
| 29 | Have you ever received information, counselling or health services in the community setting, for example in schools, clubs, community meetings? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 35d | Do you feel you could get a condom if you needed one? (Ask 15–19 year olds only.) | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate | adolescent in the community score | | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|---|
| 1 | Aggregate adolescent client score | 0–2 | |
| 2 | Aggregate direct observation (client-provider interaction) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–23 | |
| 4 | Aggregate adolescent in the community score | 0–2 | |
| Absol | ute total score | 0–28 | |
| Relati | ve score for Criterion 21 | 0 to 100% | $\left(\frac{\text{Total score}}{28}\right) \times 100$ |

CRITERION 22.

Service providers refer adolescents to the appropriate service and level of care according to local policies and procedures, and follow the policies for transition care.

| Adolescent client exit interview tool | | | |
|---------------------------------------|---|-------------|--|
| Number | Question | Response | Score |
| 22b | Did the provider give you a detailed referral note (stating the health condition, address of the referral, working hours and cost of services)? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate | adolescent client score | Total score | |

| Direct observation (client-provider interaction) tool | | | | |
|---|--|-----------------------------|--|--|
| Number | Question | Response | Score | |
| 17a | Did the service provider refer the adolescent client to another health facility? | 1=Yes, 0=No, 6=Not relevant | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 17b | When the service provider referred the adolescent client to another health facility, did he/she give a referral note mentioning the condition referred for, where to go (address), timing? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made. | |
| Aggregate | direct observation (client-provider interaction) | score | Total score | |

| Adolescent in the community interview tool | | | | |
|---|--|----------------------------------|--|--|
| Number | Question | Response | Score | |
| 22b | Did he/she give you a detailed referral note, stating the condition, address for referral, operating hours and cost of services? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate adolescent in the community score | | | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate direct observation (client-provider interaction) score | 0–2 | |
| 3 | Aggregate adolescent in the community score | 0–1 | |
| Abso | lute total score | 0–4 | |
| Relati | ve score for Criterion 22 | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 23.

The health facility provides a package of health services that fulfils the needs of all adolescents, in the facility and/or through referral linkages and outreach.

| Adolescent client exit interview tool | | | | |
|---------------------------------------|--|-------------|--|--|
| Number | Question | Response | Score | |
| 7 | Today, did you get the services that you came for? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| Aggregate | adolescent client score | Total score | | |

| Adolescent in the community interview tool | | | |
|--|---|----------------------------------|--|
| Number | Question | Response | Score |
| 10 | Did you receive the health-care services that you went for? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 22b | Did he/she give you a detailed referral note, stating the condition, address for referral, operating hours and cost of services? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 29 | Have you ever received information, counselling or health services in the community setting, for example in schools, clubs, community meetings? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | adolescent in the community score | | Total score |

| | Category | Minimum – Maximum | Score |
|-------|---|-------------------|--|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate adolescent in the community score | 0–3 | |
| Abso | lute total score | 0–4 | |
| Relat | ive score for Criterion 23 | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 24.

Health-care providers and support staff of the required profile are in place.

| Health facility manager interview tool | | | |
|--|--|------------------------------|--|
| Number | Question | Response | Score |
| 5 | Do you have job descriptions for each category of staff employed in your facility? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded "1" divided by the total number of facility managers interviewed |
| 6a | Do the job descriptions of your staff include a focus on adolescent health care? Doctor | 1=Yes, 0=No, 8=Don't know | Total number of responses coded "1" divided by the total number of facility managers interviewed |
| 6b | Do the job descriptions of your staff include a focus on adolescent health care? Nurse | 1=Yes, 0=No, 8=Don't know | Total number of responses coded "1" divided by the total number of facility managers interviewed |

| Number | Question | Response | Score |
|-----------|--|------------------------------|--|
| 6c | Do the job descriptions of your staff include a focus on adolescent health care? Midwife | 1=Yes, 0=No, 8=Don't know | Total number of responses coded "1" divided by the total number of facility managers interviewed |
| 6d | Do the job descriptions of your staff include a focus on adolescent health care? Outreach worker | 1=Yes, 0=No, 8=Don't know | Total number of responses coded "1" divided by the total number of facility managers interviewed |
| 6e | Do the job descriptions of your staff include a focus on adolescent health care? Counsellor | 1=Yes, 0=No, 8=Don't know | Total number of responses coded "1" divided by the total number of facility managers interviewed |
| 6f | Do the job descriptions of your staff include a focus on adolescent health care? Other (please specify) | 1=Yes, 0=No, 8=Don't know | Total number of responses coded "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| mber | Question | Response | Score |
|------|---|-------------|---------------------------------|
| 16a | Check if the job description of the following personnel is available AND has a focus on adolescent health care. Doctor | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 16b | Check if the job description of the following personnel is available AND has a focus on adolescent health care. Nurse | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 16c | Check if the job description of the following personnel is available AND has a focus on adolescent health care. Midwife | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 16d | Check if the job description of the following personnel is available AND has a focus on adolescent health care. Outreach worker | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 16e | Check if the job description of the following personnel is available AND has a focus on adolescent health care. Counsellor | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 16f | Check if the job description of the following personnel is available AND has a focus on adolescent health care. Other (please specify) | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |

| Health-care provider interview tool | | | | |
|-------------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 2 | Has the facility manager discussed your job description and your roles and responsibilities with you? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|---|
| 1 | Aggregate facility manager score | 0–7 | |
| 2 | Aggregate direct observation (checklist) score | 0–6 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Absol | ute total score | 0–14 | |
| Relati | ve score for Criterion 24 | 0 to 100% | $\left(\frac{\text{Total score}}{14}\right) \times 100$ |

CRITERION 25.

Health-care providers have the technical competencies necessary to provide the required package of services.

| Health facility manager interview tool | | | |
|--|--|------------------------------|---|
| Number | Question | Response | Score |
| 3d | Could you tell me which of these components were covered by the training in adolescent health? Clinical case management | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 4a | Did you undergo any of the following trainings as facility manager? Orientation in adolescent health care | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 13d | Check to see training records/reports for the following topics. Clinical case management of adolescent health conditions | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate | direct observation (checklist) score | | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 4d | Have you received the following training in adolescent health care: Clinical case management of adolescent patients? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Absol | lute total score | 0–4 | |
| Relative score for Criterion 25 | | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 26.

Health-care providers have been trained/sensitized on the importance of respecting the rights of adolescents to information, privacy, confidentiality, and of the health care that is provided in a respectful, non-judgemental and non-discriminatory manner.

| Health facility manager interview tool | | | |
|--|--|------------------------------|---|
| Number | Question | Response | Score |
| 3c | Could you tell me which of these components were covered by the training in adolescent health? The policy on privacy and confidentiality | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 3e | Could you tell me which of these components were covered by the training in adolescent health? Orientation on the importance of respecting the rights of adolescents to information and health care that is provided in a respectful, non-judgemental and non-discriminatory manner | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 4a | Did you undergo any of the following trainings as facility manager? Orientation in adolescent health care | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| Direct observation (checklist) tool | | | |
|-------------------------------------|---|-------------|---------------------------------|
| Number | Question | Response | Score |
| 13c | Check to see training records/reports for the following topics. The policy on privacy and confidentiality | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 13e | Check to see training records/reports for the following topics. Orientation on the importance of respecting the rights of adolescents to information and health care that is provided in a respectful, non-judgemental and non-discriminatory manner | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| Aggregate | direct observation (checklist) score | | Total score |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 4c | Have you received the following training in adolescent health care: The policy on privacy and confidentiality? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| 4e | Have you received the following training in adolescent health care: Orientation on the importance of respecting the rights of adolescents to information and health care that is provided in a respectful, non-judgemental and non-discriminatory manner? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

| Support staff interview tool | | | |
|------------------------------|--|-------------|--|
| Number | Question | Response | Score |
| 5 | Have you received any training in providing services to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed |
| 6b | Have you received any training/ orientation on the following topics: What are the special needs of adolescent clients? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed |
| 6c | Have you received any training/ orientation on the following topics: The importance of having the same friendly attitude towards all adolescents irrespec- tive of their ability to pay, age, sex, marital status, schooling, race/ethnicity, sexual orientation or other? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed |

| Number | Question | Response | Score |
|-------------------------------|--|-------------|---|
| 6d | Have you received any training/ orientation on the following topics: The importance of respecting the rights of adolescents to information, privacy, confi- dentiality, and respectful care? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed |
| Aggregate support staff score | | | Total score |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|---|
| 1 | Aggregate facility manager score | 0–3 | |
| 2 | Aggregate direct observation (checklist) score | 0–2 | |
| 3 | Aggregate health-care provider score | 0–2 | |
| 4 | Aggregate support staff score | 0–4 | |
| Absol | ute total score | 0–11 | |
| Relati | ve score for Criterion 26 | 0 to 100% | $\left(\frac{\text{Total score}}{11}\right) \times 100$ |

CRITERION 27.

Providers' obligations and adolescents' rights are clearly displayed in the health facility.

| Adolescent client exit interview tool | | | | |
|---------------------------------------|--|-------------|--|--|
| Number | Question | Response | Score | |
| 14a | Have you seen a display with your rights? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| 15 | Have you seen a display which mentions that services will be provided to all adolescents without discrimination? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| 16 | Have you seen a display of the confidentiality policy? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| Aggregate | adolescent client score | | Total score | |

| Health facility manager interview tool | | | | | |
|--|--|-------------|---|--|--|
| Number | Question | Response | Score | | |
| 10a | Do you have the following information items displayed in the facility? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | | |
| | The rights of adolescents to information, non-judgemental attitude and respectful care | | , | | |

| Number | Question | Response | Score |
|-----------|---|-------------|---|
| 10b | Do you have the following information items displayed in the facility? The policy commitment of the health facility to provide health services to all adolescents without discrimination, and to take remedial actions, if necessary | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 10c | Do you have the following information items displayed in the facility? The policy on confidentiality and privacy | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 10d | Do you have the following information items displayed in the facility? The policy on free or affordable service provision for adolescents | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| Direct observation (checklist) tool | | | |
|-------------------------------------|---|-------------|---------------------------------|
| Number | Question | Response | Score |
| 12a | Check if the following information items are displayed in the facility. | 1=Yes, 0=No | Score 2 for "Yes" or 0 for "No" |
| | The rights of adolescents to information, non-judgemental attitude and respectful care | | |
| 12b | Check if the following information items are displayed in the facility. | 1=Yes, 0=No | Score 2 for "Yes" or 0 for "No" |
| | The policy commitment of the health facility to provide health services to all adolescents without discrimination and to take remedial actions if necessary | | |
| 12c | Check if the following information items are displayed in the facility. | 1=Yes, 0=No | Score 2 for "Yes" or 0 for "No" |
| | The policy on confidentiality and privacy | | |
| 12d | Check if the following information items are displayed in the facility. | 1=Yes, 0=No | Score 2 for "Yes" or 0 for "No" |
| | The policy on free or affordable service provision for adolescents | | |
| Aggregate | direct observation (checklist) score | | Total score |

| Health-care provider interview tool | | | | |
|-------------------------------------|---|---|---|--|
| Number | Question | Response | Score | |
| 24 | How confident do you feel about your knowledge of how to provide care to adolescents? | 1=Confident, 0=Somewhat/not confident | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

| Adolescent in the community interview tool | | | |
|--|--|----------------------------------|--|
| Number | Question | Response | Score |
| 14b | Did you see a display with your rights? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 15 | Did you see a display of the confidentiality policy? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | adolescent in the community score | | Total score |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|---|
| 1 | Aggregate adolescent client score | 0–3 | |
| 2 | Aggregate facility manager score | 0–4 | |
| 3 | Aggregate direct observation (checklist) score | 0–8 | |
| 4 | Aggregate health-care provider score | 0–1 | |
| 5 | Aggregate adolescent in the community score | 0–2 | |
| Absol | ute total score | 0–18 | |
| Relati | ve score for Criterion 27 | 0 to 100% | $\left(\frac{\text{Total score}}{18}\right) \times 100$ |

CRITERION 28.

Up-to-date decision support tools (guidelines, protocols, algorithms) that cover topics of clinical care in line with the package of services are in place.

| Health facility manager interview tool | | | |
|--|---|-------------|---|
| Number | Question | Response | Score |
| 7a | Do you have any of the following guidelines/SOPs in your facility? Clinical case management guidelines or job aids/algorithms for adolescent health care | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| Direct observation (checklist) tool | | | |
|-------------------------------------|--|--|---|
| Number | Question | Response | Score |
| 61 | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 11a | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Normal growth and pubertal development | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11b | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Pubertal delay | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11c | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Precocious puberty | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |

| Number | Question | Response | Score |
|--------|--|--|---|
| 11d | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Mental health and mental health problems | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11e | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Nutrition (including anaemia) | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11f | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Physical activity | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11g | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Adolescent-specific immunization | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |

| Number | Question | Response | Score |
|--------|---|--|---|
| 11h | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Menstrual hygiene and health | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11i | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Family planning and contraception—oral contraceptive pills, IUDs, condoms, emergency contraceptive pills, implants, injectable contraceptives | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11j | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Safe abortion (where legal), and postabortion care | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11k | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Antenatal care and emergency preparedness, delivery and postnatal care | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |

| Number | Question | Response | Score |
|--------|---|--|---|
| 111 | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Reproductive tract infections/sexually transmitted infections | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11m | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11n | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Sexual violence | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 110 | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Family violence | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |

| Number | Question | Response | Score |
|--------|---|--|---|
| 11p | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Bullying and school violence | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11q | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Substance use and substance use disorders | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11r | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |
| 11s | Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Skin problems | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories |

| Number Question | Response | Score | | | |
|---|--|---|--|--|--|
| Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Chronic conditions and disabilities | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories | | | |
| Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Endemic diseases | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three categories | | | |
| Check for guidelines and other decision support tools (e.g. job aids, algorithms) for information, counselling and clinical management in the following areas: Common conditions during adolescence (fatigue, abdominal pain, diarrhoea, headache) | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical management: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical management Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical management Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical management Score 0 for "No" in all three | | | |
| categories | | | | | |

| | Category | Minimum – Maximum | Score |
|-------|--|-------------------|---|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–23 | |
| Absc | lute total score | 0–24 | |
| Relat | ive score for Criterion 28 | 0 to 100% | $\left(\frac{\text{Total score}}{24}\right) \times 100$ |

CRITERION 29.

A system of supportive supervision is in place to improve health-care providers' performance.

| Health facility manager interview tool | | | |
|--|---|-------------|---|
| Number | Question | Response | Score |
| 7р | Do you have any of the following guidelines/SOPs in your facility? Guidelines/SOPs on supportive supervision in adolescent health care | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 7q | Do you have any of the following guidelines/SOPs in your facility? Tools for supportive supervision in adolescent health care | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| Direct observation (checklist) tool | | | |
|-------------------------------------|---|-------------|---------------------------------|
| Number | Question | Response | Score |
| 9j | Check to see the following registers, tools and records. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | Tools for supportive supervision in adolescent health care | | |
| 140 | Check to see if there are the following guidelines/SOPs: | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | Guidelines/SOPs on supportive supervision in adolescent health care | | |
| 14p | Check to see if there are the following guidelines/SOPs: | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | Tools for supportive supervision in adolescent health care | | |
| Aggregate | direct observation (checklist) score | | Total score |

| Support staff interview tool | | | | |
|------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 7 | Does your supervisor ever discuss your roles and responsibilities with you? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed | |
| 8 | Does your supervisor regularly provide supportive supervision to you for your work? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed | |
| Aggregate | support staff score | | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–3 | |
| 3 | Aggregate support staff score | 0–2 | |
| Absol | ute total score | 0–7 | |
| Relati | ve score for Criterion 29 | 0 to 100% | $\left(\frac{\text{Total score}}{7}\right) \times 100$ |

CRITERION 30.

A system of continuous professional education that includes an adolescent health-care component is in place to ensure lifelong learning.

| Health facility manager interview tool | | | | |
|--|---|-------------|---|--|
| Number | Question | Response | Score | |
| 17a | Do you have budget to ensure: Continuous professional education activities in adolescent health care for facility staff? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 17b | Do you have budget to ensure: Training of outreach workers in adolescent health care? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | | Total score | |

| Health-care provider interview tool | | | | |
|--------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 5 | Is there a system so that you can regularly (at least once every 5 years) attend continuous professional education training in adolescent health care? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate health-care provider score | | | Total score | |

Overall score on Criterion 30

| | | Category | Minimum – Maximum | Score |
|----|-------|--------------------------------------|-------------------|--|
| 1 | | Aggregate facility manager score | 0–2 | |
| 2 | 2 | Aggregate health-care provider score | 0–1 | 0–3 |
| Ab | sol | ute total score | | |
| Re | elati | ve score for Criterion 30 | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

CRITERION 31.

Health-care providers follow evidence-based guidelines and protocols in delivering care to adolescents.

| Adolescent client exit interview tool | | | |
|---------------------------------------|--|-------------|--|
| Number | Question | Response | Score |
| 17c | Today, during your consultation or counselling session: Did the service provider ask you questions about your home and your relationships | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| | with adults? | | |
| 17d | Today, during your consultation or counselling session: Did the service provider ask you questions about school? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 17e | Today, during your consultation or counselling session: Did the service provider ask you questions about your eating habits? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 17f | Today, during your consultation or counselling session: Did the service provider ask you questions about sports or other physical activity? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 17g | Today, during your consultation or counselling session: Did the service provider ask you questions about sexual relationships? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 17h | Today, during your consultation or counselling session: Did the service provider ask you questions about smoking, alcohol or other substances? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 17i | Today, during your consultation or counselling session: Did the service provider ask you questions about how happy you feel, or other questions about your mood or mental health? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate | adolescent client score | | Total score |

| Number | Question | Response | Score |
|--------|---|-------------|---|
| 13a | During the consultation did the service provider take any psychosocial history, such as: Asked the adolescent questions about home and relationships with adults? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 13b | During the consultation did the service provider take any psychosocial history, such as: Asked the adolescent questions about school? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 13c | During the consultation did the service provider take any psychosocial history, such as: Asked the adolescent questions about his/her eating habits? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 13d | During the consultation did the service provider take any psychosocial history, such as: Asked the adolescent questions about sports or other physical activity? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 13e | During the consultation did the service provider take any psychosocial history, such as: Asked the adolescent questions about sexual relationships? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 13f | During the consultation did the service provider take any psychosocial history, such as: Asked the adolescent questions about smoking, alcohol or other substances? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 13g | During the consultation did the service provider take any psychosocial history, such as: Asked the adolescent questions about how happy he/she feels or other questions about his/her mood or mental health? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| | about 1110/1101 111000 of 1110/1101 1100iti11. | | |

| Health-ca | Health-care provider interview tool | | | |
|-----------|--|---|---|--|
| Number | Question | Response | Score | |
| 7a | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Normal growth and pubertal development | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories | |
| 7b | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Pubertal delay | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories | |
| 7c | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Precocious puberty | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories | |
| 7d | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Mental health and mental health problems | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories | |

| Number | Question | Response | Score |
|------------|--|--|---|
| 7e | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Nutrition (including anaemia) | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7f | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Physical activity | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7 g | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Adolescent-specific immunization | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7h | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Menstrual hygiene and health | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |

| Number | Question | Response | Score |
|--------|---|---|---|
| 7i | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Family planning and contraception—oral contraceptive pills, IUDs, condoms, emergency contraceptive pills, implants, injectable contraceptives | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7j | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Safe abortion (where legal), and post-abortion care | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7k | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Antenatal care and emergency preparedness, delivery and postnatal care | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 71 | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Reproductive tract infections/sexually transmitted infections | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |

| Number | Question | Response | Score |
|--------|--|--|---|
| 7m | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7n | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Sexual violence | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 70 | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Family violence | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7р | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Bullying and school violence | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |

| Number | Question | Response | Score |
|--------|---|--|---|
| 7q | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Substance use and substance use disorders | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7r | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Injuries | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7s | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Skin problems | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7t | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Chronic conditions and disabilities | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |

| Number | Question | Response | Score |
|--------|---|---|---|
| 7u | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Endemic diseases | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 7v | Do you use guidelines or decision support tools, for example, job aids or algorithms, for information, counselling and clinical management in the following areas: Common conditions during adolescence (fatigue, abdominal pain, diarrhoea, headache) | Information: 1=Yes, 0=No Counselling: 1=Yes, 0=No Clinical care: 1=Yes, 0=No | Score 1 if "Yes" is answered in each of the three categories – information, counselling and clinical care Score 0.66 if "Yes" is answered in any two of the three categories – information, counselling and clinical care Score 0.33 if "Yes" is answered in only one of the three categories – information, counselling and clinical care Score 0 for "No" in all three categories |
| 22a | During a consultation with an adolescent client, do you routinely take a psychosocial history such as: Asking the adolescent questions about home and relationships with adults? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 22b | During a consultation with an adolescent client, do you routinely take a psychosocial history such as: Asking the adolescent questions about school? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 22b | During a consultation with an adolescent client, do you routinely take a psychosocial history such as: Asking the adolescent questions about his/her eating habits? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 22d | During a consultation with an adolescent client, do you routinely take a psychosocial history such as: Asking the adolescent questions about sports or other physical activity? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 22e | During a consultation with an adolescent client, do you routinely take a psychosocial history such as: Asking the adolescent questions about sexual relationships? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |

| Number | Question | Response | Score |
|-----------|--|-------------|---|
| 22f | During a consultation with an adolescent client, do you routinely take a psychosocial history such as: Asking the adolescent questions about smoking, alcohol or other substances? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 22g | During a consultation with an adolescent client, do you routinely take a psychosocial history such as: Asking the adolescent questions about how happy he/she feels or other questions about his/her mood or mental health? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | health-care provider score | | Total score |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|---|
| 1 | Aggregate adolescent client score | 0–7 | |
| 2 | Aggregate direct observation (client-provider interaction) score | 0–7 | |
| 3 | Aggregate health-care provider score | 0–29 | |
| Absol | ute total score | 0–43 | |
| Relati | ve score for Criterion 31 | 0 to 100% | $\left(\frac{\text{Total score}}{43}\right) \times 100$ |

CRITERION 32.

Health-care providers and support staff relate to adolescents in a friendly manner, and respect their rights to information, privacy, confidentiality, non-discrimination, non-judgemental attitude, and respectful care.

| Adolescent client exit interview tool | | | |
|---------------------------------------|---|-------------|--|
| Number | Question | Response | Score |
| 17j | Today, during your consultation or counselling session: Did the service provider treat you in a friendly manner? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 17k | Today, during your consultation or counselling session: Was the service provider respectful of your needs? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 18b | Did you feel that support staff were friendly and treated you with respect? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate | Aggregate adolescent client score | | Total score |

| Direct ob | Direct observation (client-provider interaction) tool | | | |
|-----------|---|--------------------------------|--|--|
| Number | Question | Response | Score | |
| 5a | At the beginning of the consultation did the health-care provider: Seat the adolescent in the prime position that facilitated communication most easily? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 5b | At the beginning of the consultation did the health-care provider: Introduce himself/herself first to the adolescent? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 5c | At the beginning of the consultation did the health-care provider: Ask the adolescent what he/she would like to be called? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 5d | At the beginning of the consultation did the health-care provider: Ask the adolescent who he/she has brought with him/her to the consultation? | 1=Yes, 0=No, 6=Not relevant | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 5e | At the beginning of the consultation did the health-care provider: Show interest in the adolescent and spend some time getting to know him/her before focusing on the medical problems (problem-free talk)? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 6b | The provider asked questions first to the adolescent and then to the accompanying person(s). | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 6c | The provider asked the adolescent's permission to ask the accompanying person(s) their opinions/observations. | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 8 | Did the service provider listen with attention to what the client had to say? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 9 | Did the service provider assure the client that no information will be disclosed to anyone (parents/other) without their permission? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 10 | Did the service provider explain to the client the conditions when the provider might need to disclose information, such as in situations required by law, and if that is the case the client will be informed of the intention to disclose unless doing so would place them at further risk of harm? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 161 | During the consultation did the service provider do the following: Ask the adolescent client's permission before performing the examination/procedure? | 1=Yes, 0=No, 6=Not relevant | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |

| Number | Question | Response | Score |
|--|--|--------------------------------|--|
| 16m | During the consultation did the service provider do the following: Explain the results of the physical examination to the client? | 1=Yes, 0=No, 6=Not relevant | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate direct observation (client-provider interaction) score | | | Total score |

| Health-care provider interview tool | | | |
|-------------------------------------|---|-------------|---|
| Number | Question | Response | Score |
| 21a | When you see an adolescent client for services or counselling do you: Introduce yourself first to the adolescent? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 21b | When you see an adolescent client for services or counselling do you: Ask the adolescent what he/she likes to be called? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 21c | When you see an adolescent client for services or counselling do you: Ask the adolescent who he/she has brought with him/her to the consultation? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 21e | When you see an adolescent client for services or counselling do you: Ask the adolescent permission to ask the accompanying person(s) their opinions/observations? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | Aggregate health-care provider score Total score | | |

| Adolescent in the community interview tool | | | |
|---|--|----------------------------------|--|
| Number | Question | Response | Score |
| 16 | Was the service provider friendly to you? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 17a | Was the service provider respectful of what you needed? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 21b | Did you feel that the support staff was friendly and treated you with respect? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate adolescent in the community score | | | Total score |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|---|
| 1 | Aggregate adolescent client score | 0–3 | |
| 2 | Aggregate direct observation (client-provider interaction) score | 0–12 | |
| 3 | Aggregate health-care provider score | 0–4 | |
| 4 | Aggregate adolescent in the community score | 0–3 | |
| Absolute total score | | 0–22 | |
| Relative score for Criterion 32 | | 0 to 100% | $\left(\frac{\text{Total score}}{22}\right) \times 100$ |

CRITERION 33.

Adolescents receive effective health services.

Effectiveness is measured against evidence-based standards of care (e.g. criterion-based audit) using a combination of methods, such as an audit of medical records and observation. Tools to measure the effectiveness of care of selected conditions are currently being developed and are not part of this guide.

CRITERION 34.

Adolescents receive services in a friendly, supportive, respectful, non-discriminatory and nonjudgemental manner, and know their rights in health care.

| Adolescent client exit interview tool | | | |
|---------------------------------------|---|-------------|--|
| Number | Question | Response | Score |
| 14b | Can you tell me what your rights are? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 17j | Today, during your consultation or counselling session: Did the service provider treat you in a friendly manner? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 17k | Today, during your consultation or counselling session: Was the service provider respectful of your needs? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 18b | Did you feel that support staff were friendly and treated you with respect? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate | adolescent client score | | Total score |

| Adolescent in the community interview tool | | | | |
|--|--|----------------------------------|--|--|
| Number | Question | Response | Score | |
| 14c | Can you tell me what your rights are? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed | |
| 16 | Was the service provider friendly to you? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 17a | Was the service provider respectful of what you needed? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 21b | Did you feel that the support staff was friendly and treated you with respect? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate | adolescent in the community score | | Total score | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|---|-------------------|--|
| 1 | Aggregate adolescent client score | 0–4 | |
| 2 | Aggregate adolescent in the community score | 0–4 | |
| Absolute total score | | 0–8 | |
| Relative score for Criterion 34 | | 0 to 100% | $\left(\frac{\text{Total score}}{8}\right) \times 100$ |

CRITERION 35.

Adolescents receive accurate, age-appropriate and clear information to facilitate informed choice.

| Adolescent client exit interview tool | | | | |
|---------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 170 | Today, during your consultation or counselling session: Do you feel that the health information provided during the consultation was clear and that you understood it well? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| Aggregate adolescent client score | | | Total score | |

| Adolescent in the community interview tool | | | | |
|---|--|----------------------------------|--|--|
| Number | Question | Response | Score | |
| 19 | Did you feel the information provided during the consultation was clear and that you understood it well? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate adolescent in the community score | | | Total score | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|---|-------------------|--|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate adolescent in the community score | 0–1 | |
| Absolute total score | | 0–2 | |
| Relative score for Criterion 35 | | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 36.

A policy is in place, including assigned responsibilities across health-care providers and support staff, to ensure a welcoming and clean environment, minimize waiting times and ensure convenient operating hours and flexible appointment procedures.

| Health facility manager interview tool | | | | |
|--|---|-------------|---|--|
| Number | Question | Response | Score | |
| 7g | Do you have any of the following guidelines/SOPs in your facility? Guidelines/SOPs with staff responsibilities on making the health facility welcoming, convenient and clean | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 7h | Do you have any of the following guidelines/SOPs in your facility? SOPs on how to minimize the waiting time for adolescent clients | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 7i | Do you have any of the following guidelines/SOPs in your facility? SOPs on how to provide services to adolescents with, or without, an appointment | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 17e | Do you have budget to ensure: Keeping the facility welcoming and clean? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | | Total score | |

| Direct observation (checklist) tool | | | |
|-------------------------------------|--|-------------|---------------------------------|
| Number | Question | Response | Score |
| 2a | Does the waiting area: Have adequate and comfortable seating? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 2c | Does the waiting area: Have drinking water? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 2d | Does the waiting area: Seem welcoming overall? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 2e | Does the waiting area: Seem clean overall? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 4 | Are the surroundings of the facility clean? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 5a | Does the facility furniture seem adequate? Regarding quantity? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 5b | Does the facility furniture seem adequate? Regarding the state of repair? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 14f | Check to see if there are the following guidelines/SOPs: Guidelines/SOPs including staff responsibilities for making the health facility welcoming, convenient, and clean | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 14g | Check to see if there are the following guidelines/SOPs: SOPs on how to minimize waiting time | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 14h | Check to see if there are the following guidelines/SOPs: SOPs on how to provide services to adolescents with or without an appointment | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| Aggregate | direct observation (checklist) score | | Total score |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 11a | Have you ever discussed with your manager and your colleagues, and undertaken actions in order to: Make working hours convenient for adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| 11b | Have you ever discussed with your manager and your colleagues, and undertaken actions in order to: Minimize waiting time? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |

| Number | Question | Response | Score |
|-----------|--|-------------|---|
| 11c | Have you ever discussed with your manager and your colleagues, and undertaken actions in order to: Provide services to adolescents with, or without an appointment? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 27 | Do you have a clear designation of responsibilities within the facility to ensure a welcoming and clean environment? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | health-care provider score | | Total score |

| Support staff interview tool | | | |
|------------------------------|--|-------------|---|
| Number | Question | Response | Score |
| 10a | Have you ever participated in meetings where you discussed with your manager and colleagues: How to make operating hours convenient for adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed |
| 10b | Have you ever participated in meetings where you discussed with your manager and colleagues: How to minimize waiting time? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed |
| 10c | Have you ever participated in meetings where you discussed with your manager and colleagues: How to keep the facility welcoming and clean? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed |
| 10d | Have you ever participated in meetings where you discussed with your manager and colleagues: How to provide services to adolescents with or without an appointment? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed |
| Aggregate | support staff score | | Total score |

| | Category | Minimum – Maximum | Score |
|-------|--|-------------------|---|
| 1 | Aggregate facility manager score | 0–4 | |
| 2 | Aggregate direct observation (checklist) score | 0–10 | |
| 3 | Aggregate health-care provider score | 0–4 | |
| 4 | Aggregate support staff score | 0–4 | |
| Abso | lute total score | 0–22 | |
| Relat | ive score for Criterion 36 | 0 to 100% | $\left(\frac{\text{Total score}}{22}\right) \times 100$ |

CRITERION 37.

The facility has basic amenities (electricity, water, sanitation and waste disposal).

| Health facility manager interview tool | | | | |
|--|--|-------------|---|--|
| Number | Question | Response | Score | |
| 15c | Do you ensure that there are systems in place for: Basic amenities (electricity, water, sanitation and waste disposal)? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 17d | Do you have budget to ensure: Maintaining basic amenities of the facility in good condition? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | | Total score | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|--|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| За | Check for basic amenities. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Is there a functional toilet? | | O IOI INO | |
| 3b | Check for basic amenities. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Does the toilet have functioning hand hygiene facilities? | | O IOI INO | |
| 3c | Check for basic amenities. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| 0.1 | Is the toilet clean? | 4 1/4 0 11 | 0 45 (0) 1 | |
| 3d | Check for basic amenities. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Does the toilet have a disposal bin? | 4.1/ | 0 45 (0) 1 | |
| 3e | Check for basic amenities. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Does the facility have permanent electricity during working hours? | | | |
| 3f | Check for basic amenities. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Does the facility have general waste disposal? | | O IOF INO | |
| 3g | Check for basic amenities. | 1=Yes, 0=No | Score 1 for "Yes" or | |
| | Does the facility have safe storage and disposal of clinical waste and potentially infectious waste that requires special disposal – such as disposable of equipment that may have come in contact with body fluids? | | 0 for "No" | |
| 3h | Check for basic amenities. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Does the facility have safe storage and disposal of sharps? | | O IOI INO | |

| Number | Question | Response | Score |
|-----------|---|-------------|---------------------------------|
| 3i | Check for basic amenities. Does the facility have adequate hand hygiene facilities that are located in or adjacent to the office/examination room? | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| Aggregate | direct observation (checklist) score | | Total score |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|---|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–9 | |
| Absolute total score | | 0–11 | |
| Relative score for Criterion 37 | | 0 to 100% | $\left(\frac{\text{Total score}}{11}\right) \times 100$ |

CRITERION 38.

Policies and procedures to protect the privacy and confidentiality of adolescents are in place. Both health-care providers and support staff know them as well as their own roles and responsibilities.

| Health facility manager interview tool | | | |
|--|---|-------------|--|
| Number | Question | Response | Score |
| 7e | Do you have any of the following guidelines/SOPs in your facility? Guidelines/SOPs on protecting the privacy and confidentiality of adolescents | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 11a | In your facility, are the following procedures established to ensure privacy, confidentiality and the security of medical information? Information on the identity of the adolescent and the presenting issue are gathered in confidence during the registration. | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 11b | In your facility, are the following procedures established to ensure privacy, confidentiality and the security of medical information? Staff do not disclose any information given to or received from an adolescent to third parties, such as family members, school teachers or employers, without the adolescent's consent. | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |

| Number | Question | Response | Score |
|-----------|---|-------------|---|
| 11c | In your facility, are the following procedures established to ensure privacy, confidentiality and the security of medical information? Case records are kept in a secure place, accessible only to authorized personnel. | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 11d | In your facility, are the following procedures established to ensure privacy, confidentiality and the security of medical information? Measures are implemented to prevent unauthorized access to electronically stored information. | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 11e | In your facility, are the following procedures established to ensure privacy, confidentiality and the security of medical information? To maintain privacy during the consultation, there are curtains in windows and doors and a screen separating the consultation area from the examination area. | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| Direct observation (checklist) tool | | | |
|-------------------------------------|---|-------------|---------------------------------|
| Number | Question | Response | Score |
| 8a | Check for visual and auditory privacy features. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | There are curtains on the doors and windows. | | |
| 8b | Check for visual and auditory privacy features. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | Communication between reception staff and visitors is private and cannot be overheard, including from the waiting room. | | |
| 8c | Check for visual and auditory privacy features. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | In the offices/examining rooms, there is a screen to separate the examination area from the consultation area. | | |
| 8d | Check for visual and auditory privacy features. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | No one can see or hear an adolescent client from the outside during the consultation or counselling. | | |
| 10b | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | Adolescent clients are offered anonymous registration if they wish. | | |

| Number | Question | Response | Score |
|-----------|---|-------------|---------------------------------|
| 10c | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | The registration register has the name and code, but the service register has only the code (if anonymous registration is asked for). | | |
| 10d | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | The information in laboratory registers (if applicable) is registered using codes. | | |
| 10e | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | Case records are kept in a secure place, accessible only to authorized personnel. | | |
| 10f | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | The registers are kept under lock and key outside operating hours. | | |
| 10g | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | For electronically stored information, measures are applied to prevent unauthorized access. | | |
| 14d | Check to see if there are the following guidelines/SOPs: | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | Guidelines/SOPs on protecting the privacy and confidentiality of adolescents | | |
| Aggregate | direct observation (checklist) score | | Total score |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 8g | Are you aware of the following SOPs/guidelines: Guidelines/SOP on measures to protect the privacy and confidentiality of adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| 9 | Can you please name any measures to protect the privacy and confidentiality of adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

| Support staff interview tool | | | | |
|-------------------------------|---|------------------------------|---|--|
| Number | Question | Response | Score | |
| 17 | Do you think it is OK to tell the parents or teachers of an adolescent client about the problem he/she came to the facility with, without the adolescent knowing? | 0=Yes, 1=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of support staff interviewed | |
| Aggregate support staff score | | | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|---|
| 1 | Aggregate facility manager score | 0–6 | |
| 2 | Aggregate direct observation (checklist) score | 0–11 | |
| 3 | Aggregate health-care provider score | 0–2 | |
| 4 | Aggregate support staff score | 0–1 | |
| Absol | ute total score | 0–20 | |
| Relati | ve score for Criterion 38 | 0 to 100% | $\left(\frac{\text{Total score}}{20}\right) \times 100$ |

CRITERION 39.

A system of procurement and stock management of the medicines and supplies necessary to deliver the required package of services is in place.

| Health facility manager interview tool | | | | |
|--|--|-------------|--|--|
| Number | Question | Response | Score | |
| 15a | Do you ensure that there are systems in place for: Procurement and stock management of the medicines and supplies necessary to deliver the required package of services to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 18c | Do you have at hand updated lists of: Medicine, supplies and necessary equipment? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | | Total score | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|--|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 9c | Check to see the following registers, tools and records. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Stock of medicines and supplies register | | | |

| Number | Question | Response | Score |
|-----------|---|-------------|---------------------------------|
| 15c | Check the availability of the following lists. Medicines, supplies and necessary equipment | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| Aggregate | direct observation (checklist) score | | Total score |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–2 | |
| Absolute total score | | 0–4 | |
| Relative score for Criterion 39 | | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 40.

A system of procurement, inventory, maintenance and safe use of the equipment necessary to deliver the required package of services is in place.

| Health facility manager interview tool | | | | |
|--|---|-------------|--|--|
| Number | Question | Response | Score | |
| 15b | Do you ensure that there are systems in place for: Procurement, inventory, maintenance and safe use of the equipment necessary to deliver the required package of services to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 18c | Do you have at hand updated lists of: Medicine, supplies and necessary equipment? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | | Total score | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 15c | Check the availability of the following lists. Medicines, supplies and necessary equipment | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate | direct observation (checklist) score | Total score | | |

| | Category | Minimum – Maximum | Score |
|----------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| Absolute total score | | 0–3 | |
| Relati | ve score for Criterion 40 | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

CRITERION 41.

Health-care providers offer consultations during hours that are convenient to adolescents in local communities, with or without an appointment.

| Health-care provider interview tool | | | | |
|-------------------------------------|---|------------------------------|---|--|
| Number | Question | Response | Score | |
| 13 | Do you think the working hours in this facility are convenient for adolescents? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| 14 | Can adolescents have a consultation without an appointment? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

| Support staff interview tool | | | | | |
|------------------------------|---|------------------------------|---|--|--|
| Number | Question | Response | Score | | |
| 13 | Can adolescents have a consultation without an appointment? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of support staff interviewed | | |
| Aggregate | support staff score | Total score | | | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--------------------------------------|-------------------|--|
| 1 | Aggregate health-care provider score | 0–2 | |
| 2 | Aggregate support staff score | 0–1 | |
| Absolute total score | | 0–3 | |
| Relative score for Criterion 41 | | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

CRITERION 42.

Health-care providers and support staff follow policies and procedures to protect the privacy and confidentiality of adolescents.

| Adolescent client exit interview tool | | | | |
|---------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 4 | If you came accompanied by another person, did you have some time alone with the health-care provider? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| 12c | Today, when you visited the facility, did you find that it has: Curtains in doors and on windows so that nobody can see you during the examination? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| 17m | Today, during your consultation or counselling session: Did the service provider assure you at the beginning of the consultation that your information will not be shared with anyone without your consent? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| Aggregate | adolescent client score | | Total score | |

| Direct ob | Direct observation (checklist) tool | | | | |
|-----------|---|-------------|---------------------------------|--|--|
| Number | Question | Response | Score | | |
| 10a | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | | |
| | Information on the identity of the adolescent and the presenting issue are gathered in confidence during registration. | | | | |
| 10b | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | | |
| | Adolescent clients are offered anonymous registration if they wish. | | | | |
| 10c | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | | |
| | The registration register has the name and code, but the service register has only the code (if anonymous registration is asked for). | | | | |
| 10d | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | | |
| | The information in laboratory registers (if applicable) is registered using codes. | | | | |
| 10e | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | | |
| | Case records are kept in a secure place, accessible only to authorized personnel. | | | | |

| Number | Question | Response | Score |
|-----------|---|-------------|---------------------------------|
| 10f | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | The registers are kept under lock and key outside operating hours. | | |
| 10g | Check for confidentiality procedures and their application in practice. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | For electronically stored information, measures are applied to prevent unauthorized access. | | |
| Aggregate | direct observation (checklist) score | Total score | |

| Direct obs | Direct observation (client-provider interaction) tool | | | |
|------------|---|--------------------------------|--|--|
| Number | Question | Response | Score | |
| 2 | Do you think that during the consultation the provider and the client could be seen from the outside? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 3 | Is it possible to overhear the conversation between service provider and the client from the outside? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 4 | Apart from the service providers that were concerned with the consultation (doctor or/ and nurse), was anyone else present in the room at the time of consultation? (This includes health-care providers that are not concerned directly with this particular consultation.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 6a | The provider explained to the adolescent that they routinely spend some time alone with the adolescent towards the end of the consultation. | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 7 | Did anyone else enter the room during the consultation? | 0=Yes, 1=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 9 | Did the service provider assure the client that no information will be disclosed to anyone (parents/other) without their permission? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 10 | Did the service provider explain to the client the conditions when the provider might need to disclose information, such as in situations required by law, and if that is the case the client will be informed of the intention to disclose unless doing so would place them at further risk of harm? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made | |
| 15 | If the adolescent was accompanied by someone else (for example, parent/guardian, sister) did the provider spend some time alone with the adolescent towards the end of the consultation? | 1=Yes, 0=No, 6=Not relevant | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate | direct observation (client-provider interaction) | score | Total score | |

| Health-ca | re provider interview tool | | |
|-----------|---|-------------|---|
| Number | Question | Response | Score |
| 21d | When you see an adolescent client for services or counselling do you: Explain to adolescents that are accompanied that you routinely spend some time alone with the adolescent towards the end of the consultation? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 21g | When you see an adolescent client for services or counselling do you: Ensure that no one can see or hear the adolescent client from outside during the consultation or counselling? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 21h | When you see an adolescent client for services or counselling do you: Ensure that there is a screen between the consultation and examination area? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 21i | When you see an adolescent client for services or counselling do you: Assure the adolescent client that no information will be disclosed to any one (parents/other) without his/her permission? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 21j | When you see an adolescent client for services or counselling do you: Explain to the adolescent client the conditions when you might need to disclose information, such as in situations required by law, and if that is the case you will inform him/her of the intention to disclose unless doing so would place them at further risk of harm? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 21k | When you see an adolescent client for services or counselling do you: Keep all records/lab test reports under lock and key or password protected if in the computer? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | health-care provider score | | Total score |

| Support staff interview tool | | | |
|-------------------------------|--|------------------------------|---|
| Number | Question | Response | Score |
| 16 | During the registration of adolescents/ youth, can anyone else overhear your conversation? | 0=Yes, 1=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of support staff interviewed |
| Aggregate support staff score | | | Total score |

| Adult client exit interview tool | | | | |
|----------------------------------|--|---|--|--|
| Number | Question | Response | Score | |
| 7c | Did the health service provider get permission from that adolescent before disclosing this information to you? | 1=Yes, 0=No, 8=Don't know, 6=Not relevant (no adolescent in the family) | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 8b | Did the provider spent time alone with the adolescent towards the end of the consultation? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate | adult client score | | Total score | |

| Adolescent in the community interview tool | | | |
|--|--|----------------------------------|--|
| Number | Question | Response | Score |
| 6b | If you were accompanied by another person, did you have some time alone with the health-care provider? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed |
| 12c | The last time you visited the nearby facility, did you find it had: Curtains in doors and on windows so that nobody could see you during the examinations? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 17b | Did anyone else enter the room during your consultation? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 18a | At the beginning of the consultation, did the service provider assure you that your information would not be shared with any- one without your consent? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | adolescent in the community score | | Total score |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|---|
| 1 | Aggregate adolescent client score | 0–3 | |
| 2 | Aggregate direct observation (checklist) score | 0–7 | |
| 3 | Aggregate direct observation (client-provider interaction) score | 0–8 | |
| 4 | Aggregate health-care provider score | 0–6 | |
| 5 | Aggregate support staff score | 0–1 | |
| 6 | Aggregate adult client score | 0–2 | |
| 7 | Aggregate adolescent in the community score | 0–4 | |
| Absol | ute total score | 0–31 | |
| Relati | ve score for Criterion 42 | 0 to 100% | $\left(\frac{\text{Total score}}{31}\right) \times 100$ |

CRITERION 43.

Medicines and supplies are in adequate quantities without shortages (stock-outs), and are equitably used.

| Adolescent client exit interview tool | | | | |
|---------------------------------------|---|-------------|--|--|
| Number | Question | Response | Score | |
| 19 | Today, did you not get the services you wanted because of a lack of medicines or other materials? | 0=Yes, 1=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| Aggregate | adolescent client score | Total score | | |

| Direct observation (checklist) tool | | | |
|-------------------------------------|--|-------------|------------------------------------|
| Number | Question | Response | Score |
| 6р | Does the facility have the following equipment/material/supplies: Latex gloves | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| 6q | Does the facility have the following equipment/material/supplies: Single-use standard disposable or autodisposable syringes | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| 6r | Does the facility have the following equipment/material/supplies: Soap or alcohol-based hand rub for hand hygiene | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |

| Number | Question | Response | Score |
|------------|--|--------------|------------------------------------|
| 7a | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Condoms | | |
| 7b | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Oral contraceptive pills | | |
| 7c | Check the minimum levels of stock for the following medicines and supplies in the facility. Emergency contraceptive pills | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| 7d | Check the minimum levels of stock for | 1=Yes, 0=No | Score 0.75 for "Yes" or |
| 74 | the following medicines and supplies in the facility. Injectable contraceptives | 1–165, U–110 | 0 for "No" |
| 7e | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Contraceptive implants | | |
| 7f | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Intravenous fluids | | |
| 7g | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Paracetamol | | |
| 7h | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Amoxicillin | | |
| 7i | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Atenolol | | |
| 7 j | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Ceftriaxone | | |
| 7k | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Ciprofloxacin | | |

| Number | Question | Response | Score |
|-----------|--|-------------|------------------------------------|
| 71 | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Cotrimoxazole suspension | | |
| 7m | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Diclofenac | | |
| 7n | Check the minimum levels of stock for the following medicines and supplies in the facility. Glibenclamide | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| 70 | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Omeprazole | | |
| 7р | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Salbutamol | | |
| 7q | Check the minimum levels of stock for the following medicines and supplies in the facility. Diazepam | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| 7r | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Magnesium sulfate | | |
| 7s | Check the minimum levels of stock for the following medicines and supplies in the facility. | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Vaccines | | |
| Aggregate | direct observation (checklist) score | | Total score |

| Health-care provider interview tool | | | |
|-------------------------------------|---|-------------|---|
| Number | Question | Response | Score |
| 28a | Has any adolescent been denied services within last 12 months because of: Recent stock-outs? | 0=Yes, 1=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | health-care provider score | | Total score |

| Adolescent in the community interview tool | | | | |
|--|--|------------------------------|--|--|
| Number | Question | Response | Score | |
| 24 | Were you ever refused health-care services in the nearby facility because of lack of medicines or other materials? | 0=Yes, 1=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate | adolescent in the community score | Total score | | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|---|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–22 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| 4 | Aggregate adolescent in the community score | 0–1 | |
| Absol | ute total score | 0–25 | |
| Relati | ve score for Criterion 43 | 0 to 100% | $\left(\frac{\text{Total score}}{25}\right) \times 100$ |

CRITERION 44.

The equipment necessary to provide the required package of services to adolescents is available, functioning and equitably used.

| Adolescent client exit interview tool | | | | |
|---------------------------------------|--|-------------|--|--|
| Number | Question | Response | Score | |
| 20 | Today, did you not get the services you wanted because of a lack of equipment, or because the equipment was not functioning? | 0=Yes, 1=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | |
| Aggregate | adolescent client score | Total score | | |

| Direct observation (checklist) tool | | | |
|-------------------------------------|---|-------------|------------------------------------|
| Number | Question | Response | Score |
| 6a | Does the facility have the following equipment/material/supplies: Blood pressure measurement machine | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| 6b | Does the facility have the following equipment/material/supplies: Binaural adult stethoscope | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| 6c | Does the facility have the following equipment/material/supplies: Monaural fetal stethoscope | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |

| Number | Question | Response | Score |
|-----------|---|--------------|------------------------------------|
| 6d | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Pregnancy test strips | | |
| 6e | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Clinical thermometer | | |
| 6f | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Adult weighing scales | | |
| 6g | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Measuring tape | | |
| 6h | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| 6i | Light source, for example a torch Does the facility have the following | 1=Yes, 0=No | Score 0.75 for "Yes" or |
| Ol | equipment/material/supplies: | 1-163, 0-110 | 0 for "No" |
| - Gi | Refrigerator | 1-Voo 0-No | Score 0.75 for "Yes" or |
| 6j | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | 0 for "No" |
| 6k | Haemoglobinometer Does the facility have the following | 1=Yes, 0=No | Score 0.75 for "Yes" or |
| OK | equipment/material/supplies: Test strips for urine, 10 parameter | 1-165, U-INO | 0 for "No" |
| 6m | Does the facility have the following | 1=Yes, 0=No | Score 0.75 for "Yes" or |
| G | equipment/material/supplies: | . 100, 0 110 | 0 for "No" |
| | Height meter | | |
| 6n | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Ophtalmoscope set | | |
| 60 | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Otoscope set | | |
| 6s | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Communication equipment (phone or short-wave radio) | | |
| 6t | Does the facility have the following equipment/material/supplies: | 1=Yes, 0=No | Score 0.75 for "Yes" or 0 for "No" |
| | Computer with email/internet access | | |
| Aggregate | direct observation (checklist) score | | Total score |

| Health-care provider interview tool | | | |
|-------------------------------------|--|-------------|---|
| Number | Question | Response | Score |
| 28b | Has any adolescent been denied services within last 12 months because of: Malfunctioning/unavailable equipment? | 0=Yes, 1=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | health-care provider score | Total score | |

| Adolescent in the community interview tool | | | | |
|---|--|------------------------------|--|--|
| Number | Question | Response | Score | |
| 25 | Were you ever refused health-care services in the nearby facility because lack of equipment, or because the equipment was not functioning? | 0=Yes, 1=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate adolescent in the community score | | | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|---|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–12 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| 4 | Aggregate adolescent in the community score | 0–1 | |
| Absol | ute total score | 0–15 | |
| Relati | ve score for Criterion 44 | 0 to 100% | $\left(\frac{\text{Total score}}{15}\right) \times 100$ |

CRITERION 45.

The health facility has convenient operating hours, appointment procedures and waiting times kept to a minimum.

| Adolescent client exit interview tool | | | |
|---------------------------------------|---|-------------|--|
| Number | Question | Response | Score |
| 12a | Today, when you visited the facility, did you find that it has: Working hours that are convenient for you? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 12b | Today, when you visited the facility, did you find that it has: A reasonably short waiting time? (Ask how long the client waited.) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate | adolescent client score | | Total score |

| Adolescent in the community interview tool | | | |
|--|---|----------------------------------|--|
| Number | Question | Response | Score |
| 12a | The last time you visited the nearby facility, did you find it had: Working hours that were convenient for you? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 12b | The last time you visited the nearby facility, did you find it had: A reasonably short waiting time? (Ask how long the client waited.) | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | adolescent in the community score | | Total score |

| | Category | Minimum – Maximum | Score |
|--------|---|-------------------|--|
| 1 | Aggregate adolescent client score | 0–2 | |
| 2 | Aggregate adolescent in the community score | 0–2 | |
| Absol | lute total score | 0–4 | |
| Relati | ve score for Criterion 45 | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 46.

The health facility has a welcoming and clean environment.

| Adolescent client exit interview tool | | | |
|---------------------------------------|---|-------------|--|
| Number | Question | Response | Score |
| 12d | Today, when you visited the facility, did you find that it has: Comfortable seating in the waiting area? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 12e | Today, when you visited the facility, did you find that it has: Drinking water available? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 13a | Were the following sufficiently clean: Surroundings? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 13b | Were the following sufficiently clean: Consultation areas? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 13c | Were the following sufficiently clean: Toilets, which were functional? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate | adolescent client score | | Total score |

| Adolescent in the community interview tool | | | |
|--|---|----------------------------------|--|
| Number | Question | Response | Score |
| 12d | The last time you visited the nearby facility, did you find it had: Comfortable seating in the waiting area? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 12e | The last time you visited the nearby facility, did you find it had: Drinking water available? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 13a | Were the following sufficiently clean: The surroundings? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 13b | Were the following sufficiently clean: The consultation areas? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 13c | Were the following sufficiently clean: Toilets, which were functional? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | adolescent in the community score | | Total score |

| | Category | Minimum – Maximum | Score |
|---------------------------------|---|-------------------|---|
| 1 | Aggregate adolescent client score | 0–5 | |
| 2 | Aggregate adolescent in the community score | 0–5 | |
| Abso | lute total score | 0–10 | |
| Relative score for Criterion 46 | | 0 to 100% | $\left(\frac{\text{Total score}}{10}\right) \times 100$ |

CRITERION 47.

Adolescents receive private and confidential health care at all times during the consultation process.

| Adolescent client exit interview tool | | | |
|---------------------------------------|--|-------------|--|
| Number | Question | Response | Score |
| 4 | If you came accompanied by another person, did you have some time alone with the health-care provider? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |

| Number | Question | Response | Score |
|-----------|---|-------------|--|
| 12c | Today, when you visited the facility, did you find that it has: Curtains in doors and on windows so that nobody can see you during the examination? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 171 | Today, during your consultation or counselling session: Did anyone else enter the room during your consultation? | 0=Yes, 1=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 17n | Today, during your consultation or counselling session: Do you feel confident that the information you shared with service provider today will not be disclosed to anyone else without your consent? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate | adolescent client score | | Total score |

| Adolescent in the community interview tool | | | | |
|--|---|----------------------------------|--|--|
| Number | Question | Response | Score | |
| 6b | If you were accompanied by another person, did you have some time alone with the health-care provider? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed | |
| 12c | The last time you visited the nearby facility, did you find it had: Curtains in doors and on windows so that nobody could see you during the examinations? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| 18b | Did you feel confident that the information you shared with the service provider would not be shared with anyone else without your consent? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate adolescent in the community score Total score | | | | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|---|-------------------|--|
| 1 | Aggregate adolescent client score | 0–4 | |
| 2 | Aggregate adolescent in the community score | 0–3 | |
| Abso | lute total score | 0–7 | |
| Relative score for Criterion 47 | | 0 to 100% | $\left(\frac{\text{Total score}}{7}\right) \times 100$ |

CRITERION 48.

The facility has the equipment, medicines, supplies and technology needed to ensure effective service provision to adolescents.

| Adolescent client exit interview tool | | | |
|---------------------------------------|--|-------------|--|
| Number | Question | Response | Score |
| 19 | Today, did you not get the services you wanted because of a lack of medicines or other materials? | 0=Yes, 1=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 20 | Today, did you not get the services you wanted because of a lack of equipment, or because the equipment was not functioning? | 0=Yes, 1=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate | adolescent client score | | Total score |

| Adolescent in the community interview tool | | | |
|---|--|------------------------------|--|
| Number | Question | Response | Score |
| 24 | Were you ever refused health-care services in the nearby facility because of lack of medicines or other materials? | 0=Yes, 1=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 25 | Were you ever refused health-care services in the nearby facility because lack of equipment, or because the equipment was not functioning? | 0=Yes, 1=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate adolescent in the community score | | | Total score |

| | Category | Minimum – Maximum | Score |
|---------------------------------|---|-------------------|--|
| 1 | Aggregate adolescent client score | 0–2 | |
| 2 | Aggregate adolescent in the community score | 0–2 | |
| Absolute total score | | 0–4 | |
| Relative score for Criterion 48 | | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 49.

Policies and procedures are in place stating the obligation of facility staff to provide services to all adolescents irrespective of their ability to pay, age, sex, marital status, schooling, race/ethnicity, sexual orientation or other characteristics.

| Health facility manager interview tool | | | |
|--|--|-------------|---|
| Number | Question | Response | Score |
| 7k | Do you have any of the following guidelines/SOPs in your facility? Guidelines/SOPs on how to provide equitable services to all adolescents irrespective of their ability to pay, age, sex, marital status and other characteristics | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 10b | Do you have the following information items displayed in the facility? The policy commitment of the health facility to provide health services to all adolescents without discrimination and to take remedial actions, if necessary | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 14j | Check to see if there are the following guidelines/SOPs: | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Guidelines/SOPs on equitable service provision to all adolescents irrespective of their ability to pay, age, sex, marital status or other characteristics | | | |
| Aggregate | Aggregate direct observation (checklist) score Total score | | | |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 8e | Are you aware of the following SOPs/guidelines: Guidelines/SOPs on providing services to all adolescents irrespective of their ability to pay, age, sex, marital status or other characteristics? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Absolute total score | | 0–4 | |
| Relative score for Criterion 49 | | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 50.

Policies and procedures are in place for services that are free at the point of use, or affordable.

| Health facility manager interview tool | | | | |
|--|--|-------------|---|--|
| Number | Question | Response | Score | |
| 7 <u>j</u> | Do you have any of the following guidelines/SOPs in your facility? Guidelines/SOPs on how to provide free, or affordable, services to adolescents | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 10d | Do you have the following information items displayed in the facility? The policy on free or affordable service provision for adolescents | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | | Total score | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|--|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 12d | Check if the following information items are displayed in the facility. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | The policy on free or affordable service provision for adolescents | | | |
| 13f | Check to see training records/reports for the following topics. Policies and procedures to ensure free or affordable service provision | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| 14i | Check to see if there are the following guidelines/SOPs. Guidelines/SOPs on applying policies for free, or affordable, service provision to adolescents | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate | direct observation (checklist) score | | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 8f | Are you aware of the following SOPs/guidelines: Guidelines/SOPs on providing free, or affordable, services to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–3 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Absolute total score | | 0–6 | |
| Relative score for Criterion 50 | | 0 to 100% | $\left(\frac{\text{Total score}}{6}\right) \times 100$ |

CRITERION 51.

Health-care providers and support staff are aware of the above policies and procedures, and know how to implement them.

| Health facility manager interview tool | | | | |
|---|--|------------------------------|--|--|
| Number | Question | Response | Score | |
| 3f | Could you tell me which of these components were covered by the training in adolescent health? Policies and procedures to ensure free or affordable service provision | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate health facility manager score | | | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 4f | Have you received the following training in adolescent health care: Policies and procedures to ensure free or affordable service provision? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

| | Category | Minimum – Maximum | Score |
|----------------------|--------------------------------------|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate health-care provider score | 0–1 | |
| Absolute total score | | 0–2 | |
| Relati | ve score for Criterion 51 | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 52.

The policy commitment of the health facility to provide health services to all adolescents without discrimination, and to take remedial actions when necessary, is displayed prominently in the health facility.

| Adolesce | Adolescent client exit interview tool | | | | |
|-----------|--|-------------|--|--|--|
| Number | Question | Response | Score | | |
| 15 | Have you seen a display which mentions that services will be provided to all adolescents without discrimination? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | | |
| Aggregate | adolescent client score | | Total score | | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 12b | Check if the following information items are displayed in the facility. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | The policy commitment of the health facility to provide health services to all adolescents without discrimination and to take remedial actions if necessary | | | |
| Aggregate | direct observation (checklist) score | | Total score | |

| Adolesce | Adolescent in the community interview tool | | | | |
|---|--|----------------------------------|--|--|--|
| Number | Question | Response | Score | | |
| 14a | Did you see a display which mentions that services will be provided to all adolescents without discrimination? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | | |
| Aggregate adolescent in the community score | | | Total score | | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate adolescent in the community score | 0–1 | |
| Abso | lute total score | 0–3 | |
| Relative score for Criterion 52 | | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

CRITERION 53.

Health-care providers know who are the vulnerable group(s) of adolescents in their community(ies).

| Health-care provider interview tool | | | | |
|-------------------------------------|--|------------------------------|---|--|
| Number | Question | Response | Score | |
| 10 | Do you know any groups of adolescents in your community(ies)that are vulnerable regarding health issues? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

Overall score on Criterion 53

| | Category | Minimum – Maximum | Score |
|---------------------------------|--------------------------------------|-------------------|--|
| 1 | Aggregate health-care provider score | 0–1 | |
| Absol | ute total score | 0–1 | |
| Relative score for Criterion 53 | | 0 to 100% | $\left(\frac{\text{Total score}}{1}\right) \times 100$ |

CRITERION 54.

Health-care providers and support staff demonstrate the same friendly, non-judgemental and respectful attitude to all adolescents, regardless of age, sex, marital status, sexual orientation, cultural background, ethnic origin, disability or any other reason.

This criterion is measured by comparing scores of criteria 32 and 34 among various socio-economic groups (e.g. by comparing scores in boys and girls, married and unmarried, etc.). If health-care providers and support staff demonstrate the same attitude then no significant differences in scores for aforementioned criteria should be detected during comparisons by socio-economic groups.

CRITERION 55.

Health-care providers provide services to all adolescents without discrimination, in line with policies and procedures.

| Health-care provider interview tool | | | |
|-------------------------------------|--|-------------|---|
| Number | Question | Response | Score |
| 23a | Would you provide the following services to all adolescents regardless of sex, age, marital status or ability to pay? Hormonal contraceptives | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 23b | Would you provide the following services to all adolescents regardless of sex, age, marital status or ability to pay? Condoms | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 23c | Would you provide the following services to all adolescents regardless of sex, age, marital status or ability to pay? STI treatment | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 23d | Would you provide the following services to all adolescents regardless of sex, age, marital status or ability to pay? HIV testing and counselling | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| 23e | Would you provide the following services to all adolescents regardless of sex, age, marital status or ability to pay? Medical termination of pregnancy/abortion (where legal) | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | health-care provider score | | Total score |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--------------------------------------|-------------------|--|
| 1 | Aggregate health-care provider score | 0–5 | |
| Absol | lute total score | 0–5 | |
| Relative score for Criterion 55 | | 0 to 100% | $\left(\frac{\text{Total score}}{5}\right) \times 100$ |

CRITERION 56.

The health facility involves vulnerable group(s) of adolescents in the planning, monitoring and evaluation of health services, as well as in certain aspects of health-service provision.

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 16c | Have you ever involved any of the following groups in these activities: Vulnerable groups of adolescents in the planning, monitoring and evaluation of health services and service provision? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

Overall score on Criterion 56

| | Category | Minimum – Maximum | Score |
|---------------------------------|--------------------------------------|-------------------|--|
| 1 | Aggregate health-care provider score | 0–1 | |
| Absol | ute total score | 0–1 | |
| Relative score for Criterion 56 | | 0 to 100% | $\left(\frac{\text{Total score}}{1}\right) \times 100$ |

CRITERION 57.

All adolescents - irrespective of their ability to pay, age, sex, marital status, education, ethnic origin, sexual orientation or other characteristics - report similar experiences of care.

| Adolescent client exit interview tool | | | |
|---------------------------------------|--|-------------|--|
| Number | Question | Response | Score |
| 21a | Today, were you denied necessary services at this health facility? | 0=Yes, 1=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate adolescent client score | | | Total score |

| Direct observation (client-provider interaction) tool | | | | |
|--|---|-------------|---|--|
| Number | Question | Response | Score | |
| 11 | Did the service provider deny any services to this adolescent/young client? | 0=Yes, 1=No | Total number of responses coded as "1" divided by the total number of observations made | |
| Aggregate direct observation (client-provider interaction) score | | | Total score | |

| Adolescent in the community interview tool | | | | |
|--|---|-----------------------------|--|--|
| Number | Question | Response | Score | |
| 23a | Were you ever denied necessary services at the nearby facility? | 0=Yes, 1=No, 6=Not relevant | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate | adolescent in the community score | Total score | | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate direct observation (client-provider interaction) score | 0–1 | |
| 3 | Aggregate adolescent in the community score | 0–1 | |
| Absolute total score | | 0–3 | |
| Relative score for Criterion 57 | | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

In addition, criterion 57 could be measured by comparing scores of criteria 23, 32, 34, 35, 47 and 55 among various socio-economic groups (e.g. by comparing scores in boys and girls, married and unmarried, etc.). If all adolescents have a similar experience of care, then no significant differences in scores for the aforementioned criteria should be detected during comparisons by socio-economic groups.

CRITERION 58.

Vulnerable group(s) of adolescents are involved in the planning, monitoring and evaluation of health services, as well as in certain aspects of health-service provision.

Criterion 58 is measured by analysing criteria 77 and 79 separately for vulnerable adolescents.

CRITERION 59.

A system is in place to collect data on service utilization that is disaggregated by age, sex and other socio-demographic characteristics as relevant.

| Health facility manager interview tool | | | | |
|--|---|-------------|---|--|
| Number | Question | Response | Score | |
| 12 | Is there a system in place in the facility to collect data on cause-specific service utilization by adolescents that is disaggregated by age and sex? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | Total score | | |

| Direct observation (checklist) tool | | | |
|-------------------------------------|---|-------------|---------------------------------|
| Number | Question | Response | Score |
| 9a | Check to see the following registers, tools and records. The register on service utilization has data disaggregated by age and sex so that cause-specific service utilization by adolescent boys and girls can be extracted. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 9b | Check to see the following registers, tools and records. The reporting forms have a format that allows the presentation of data disaggregated by age and sex. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| Aggregate | direct observation (checklist) score | | Total score |

| Health-care provider interview tool | | | |
|--------------------------------------|---|-------------|---|
| Number | Question | Response | Score |
| 29a | Is it possible to extract from your registers data on cause-specific service utilization by adolescents, along with the sex of adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate health-care provider score | | | Total score |

| Support staff interview tool | | | |
|-------------------------------|--|------------------------------|--|
| Number | Question | Response | Score |
| 14 | Is there a separate register for the registration of adolescents/youth? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 15 | Are there separate columns for registering adolescents/youth in the common register? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate support staff score | | | Total score |

| | Category | Minimum – Maximum | Score |
|----------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–2 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| 4 | Aggregate support staff score | 0–2 | |
| Absolute total score | | 0–6 | |
| Relati | ve score for Criterion 59 | 0 to 100% | $\left(\frac{\text{Total score}}{6}\right) \times 100$ |

CRITERION 60.

Health-care providers are trained to collect and analyse data to inform quality improvement initiatives.

| Health facility manager interview tool | | | |
|---|---|------------------------------|---|
| Number | Question | Response | Score |
| 3g | Could you tell me which of these components were covered by the training in adolescent health? Data collection, analysis and use for quality improvement | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 4b | Did you undergo any of the following trainings as facility manager? Training in quality improvement for adolescent health care | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate health facility manager score | | | Total score |

| Direct observation (checklist) tool | | | |
|-------------------------------------|--|-------------|---------------------------------|
| Number | Question | Response | Score |
| 13g | Check to see training records/reports for the following topics. Data collection, analysis and use for quality | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| | improvement in adolescent health care | | |
| Aggregate | direct observation (checklist) score | | Total score |

| Health-care provider interview tool | | | |
|--------------------------------------|---|-------------|---|
| Number | Question | Response | Score |
| 4g | Have you received the following training in adolescent health care: Data collection, analysis and use for quality improvement? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate health-care provider score | | | Total score |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Absolute total score | | 0–4 | |
| Relative score for Criterion 60 | | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 61.

Tools and mechanisms for self-monitoring of the quality of health services for adolescents are in place.

| Health facility manager interview tool | | | | |
|--|---|-------------|---|--|
| Number | Question | Response | Score | |
| 71 | Do you have any of the following guidelines/SOPs in your facility? Guidelines/SOPs on self-monitoring of the quality of care provided to adolescents | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | | Total score | |

| Direct observation (checklist) tool | | | |
|-------------------------------------|--|-------------|---------------------------------|
| Number | Question | Response | Score |
| 9i | Check to see the following registers, tools and records. Tools for facility self-assessment of the quality of adolescent health care | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 14k | Check to see if there are the following guidelines/SOPs: Guidelines/SOPs for self-monitoring of the quality of care provided to adolescents | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| Aggregate | direct observation (checklist) score | | Total score |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 30a | Are you aware of any tools for self-monitoring of the quality of care in the facility? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

Overall score on Criterion 61

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–2 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Absol | ute total score | 0–4 | |
| Relative score for Criterion 61 | | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 62.

Mechanisms are in place to link supportive supervision to priorities for improvement as identified during the monitoring of the implementation of standards.

| Health facility manager interview tool | | | |
|--|--|-------------|---|
| Number | Question | Response | Score |
| 4c | Did you undergo any of the following trainings as facility manager? Training in supportive supervision for adolescent health care | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 9e | Does your facility regularly conduct self-assessments: To inform priorities for supportive supervision? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

Overall score on Criterion 62

| | Category | Minimum – Maximum | Score |
|---------------------------------|----------------------------------|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| Absol | lute total score | 0–2 | |
| Relative score for Criterion 62 | | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 63.

Mechanisms are in place for reward and recognition of highly performing health-care providers and support staff.

| Health facility manager interview tool | | | |
|--|--|-------------|---|
| Number | Question | Response | Score |
| 70 | Do you have any of the following guidelines/SOPs in your facility? Guidelines/SOPs on how to reward and recognize highly performing staff | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 17f | Do you have budget to ensure: Rewarding highly performing staff? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|--|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 14n | Check to see if there are the following guidelines/SOPs: | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Guidelines/SOPs on the reward for and recognition of highly performing staff | | | |
| Aggregate | direct observation (checklist) score | | Total score | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| Absolute total score | | 0–3 | |
| Relative score for Criterion 63 | | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

CRITERION 64.

The health facility collects data on service utilization disaggregated by age and sex, and conducts regular self-assessments of quality of care.

| Health facility manager interview tool | | | | |
|--|--|-------------|---|--|
| Number | Question | Response | Score | |
| 9c | Does your facility regularly conduct self-assessments: To assess the quality of health-care services? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | Total score | | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 9k | Check to see the following registers, tools and records. Records/reports on accomplished self-assessments of the quality of adolescent health care | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate | direct observation (checklist) score | | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 12 | Did you ever participate in a facility self–assessment of the quality of care provided to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| 30b | Do you use these tools for self-monitoring of quality for adolescent health services? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

| Support staff interview tool | | | | |
|-------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 11a | Did you ever participate in a facility self- assessment of the quality of care provided to adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed | |
| Aggregate support staff score | | | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–2 | |
| 4 | Aggregate support staff score | 0–1 | |
| Absol | ute total score | 0–5 | |
| Relati | ve score for Criterion 64 | 0 to 100% | $\left(\frac{\text{Total score}}{5}\right) \times 100$ |

CRITERION 65.

Health-care providers and support staff use data on service utilization and quality of care for action planning and implementation of quality improvement initiatives.

| Health facility manager interview tool | | | |
|--|---|-------------|---|
| Number | Question | Response | Score |
| 9d | Does your facility regularly conduct self-assessments: To establish action plans for improvements? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |

| Number | Question | Response | Score |
|-----------|---|-------------|---|
| 16d | Does the facility have a documented plan: For actions to improve the quality of care in the facility based on the results of the last self-assessment? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate | health facility manager score | | Total score |

| Health-care provider interview tool | | | | |
|--------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 31a | Did you ever participate in facility meetings to analyse the results of the self-assess- ments and to plan actions for improvement of adolescent health care? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate health-care provider score | | | Total score | |

| Support staff interview tool | | | | |
|-------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 9 | Did you ever participate in facility meet- ings to discuss the quality of the ser- vices to adolescents and plan actions for improvement? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed | |
| Aggregate support staff score | | | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--------------------------------------|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate health-care provider score | 0–1 | |
| 3 | Aggregate support staff score | 0–1 | |
| Absol | lute total score | 0–4 | |
| Relati | ve score for Criterion 65 | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 66.

Health-care providers and support staff receive supportive supervision in areas identified during self-assessments.

| Health facility manager interview tool | | | |
|--|--|-------------|---|
| Number | Question | Response | Score |
| 8a | Do you regularly conduct supportive supervision visits with a focus on adolescent health care: To facility health-care providers? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |

| Number | Question | Response | Score |
|---|--|-------------|---|
| 8b | Do you regularly conduct supportive supervision visits with a focus on adolescent health care: To support staff? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| 8c | Do you regularly conduct supportive supervision visits with a focus on adolescent health care: To outreach workers? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate health facility manager score | | | Total score |

| Direct observation (checklist) tool | | | | |
|---|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 91 | Check to see the following registers, tools and records. Records of accomplished supportive supervision visits focused on adolescent health care | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate direct observation (checklist) score Total score | | | Total score | |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 26a | Did your mentor/supervisor ever observe a consultation by you with an adolescent client to help you to improve the quality of care? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| 26b | Did your mentor/supervisor ever advise you how to improve the quality of care for adolescent clients? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–3 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–2 | |
| Absol | lute total score | 0–6 | |
| Relative score for Criterion 66 | | 0 to 100% | $\left(\frac{\text{Total score}}{6}\right) \times 100$ |

CRITERION 67.

Good performance is recognized and rewarded.

| Health-care provider interview tool | | | |
|--------------------------------------|---|-------------|---|
| Number | Question | Response | Score |
| 32a | Have you, or any of your colleagues, ever been rewarded for high performance? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate health-care provider score | | | Total score |

| Support staff interview tool | | | | |
|-------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 12a | Have you, or any of your colleagues, ever been rewarded for high performance? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed | |
| Aggregate support staff score | | | Total score | |

Overall score on Criterion 67

| | Category | Minimum – Maximum | Score |
|-------|--------------------------------------|-------------------|--|
| 1 | Aggregate health-care provider score | 0–1 | |
| 2 | Aggregate support staff score | 0–1 | |
| Abso | lute total score | 0–2 | |
| Relat | ive score for Criterion 67 | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 68.

Facility's reports to district include data on cause-specific utilization of services by adolescents that is disaggregated by age and sex.

| Health facility manager interview tool | | | | |
|---|---|-------------|---|--|
| Number | Question | Response | Score | |
| 13 | Do facility reports to the district include data on cause-specific service utilization by adolescents that is disaggregated by age and sex? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate health facility manager score | | | Total score | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 9m | Check to see the following registers, tools and records. Reports to the district on cause-specific service utilization by adolescents that include data disaggregated by age and sex | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate | direct observation (checklist) score | Total score | | |

| Health-care provider interview tool | | | | |
|--------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 29b | Do you report data on service utilization by adolescents, along with the sex of adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate health-care provider score | | | Total score | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Abso | lute total score | 0–3 | |
| Relative score for Criterion 68 | | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

CRITERION 69.

Facility's reports to districts on quality of care have a focus on adolescents.

| Health facility manager interview tool | | | | |
|---|---|-------------|---|--|
| Number | Question | Response | Score | |
| 14 | Do facility reports to the district on quality of care have a focus on adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate health facility manager score | | | Total score | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 9n | Check to see the following registers, tools and records. | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Reports to the district on quality of care that have a focus on adolescents | | | |
| Aggregate | direct observation (checklist) score | Total score | | |

| | Category | Minimum – Maximum | Score |
|----------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| Absolute total score | | 0–2 | |
| Relati | ve score for Criterion 69 | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 70.

Health facility staff feel supported by supervisors and motivated to comply with the standards.

| Health-care provider interview tool | | | | |
|-------------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 31b | Do you feel you have enough support from your supervisor to improve the quality of care for adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| 31c | Do you feel you have the motivation to improve the quality of care for adolescents, and to comply with quality standards? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | | Total score | |

| Support staff interview tool | | | | |
|------------------------------|---|-------------|---|--|
| Number | Question | Response | Score | |
| 11b | Do you feel you have enough support from your supervisor to improve the quality of care for adolescents? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed | |
| 11c | Do you feel you have the motivation to improve the quality of care for adolescents, and to comply with quality standards? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of support staff interviewed | |
| Aggregate | support staff score | | Total score | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--------------------------------------|-------------------|--|
| 1 | Aggregate health-care provider score | 0–2 | |
| 2 | Aggregate support staff score | 0–2 | |
| Absolute total score | | 0–4 | |
| Relative score for Criterion 70 | | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 71.

The governance structure of the facility includes adolescents.

| Health facility manager interview tool | | | | |
|--|--|------------------------------|---|--|
| Number | Question | Response | Score | |
| 19b | Does this structure/board include adolescents? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | Total score | | |

Overall score on Criterion 71

| | Category | Minimum – Maximum | Score |
|---------------------------------|----------------------------------|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| Absolute total score | | 0–1 | |
| Relative score for Criterion 71 | | 0 to 100% | $\left(\frac{\text{Total score}}{1}\right) \times 100$ |

CRITERION 72.

There is a policy in place to engage adolescents in service planning, monitoring and evaluation.

| Health facility manager interview tool | | | | |
|--|--|-------------|--|--|
| Number | Question | Response | Score | |
| 7m | Do you have any of the following guidelines/SOPs in your facility? | 1=Yes, 0=No | Total number of responses coded as "1" divided by | |
| | SOPs on how to involve adolescents in the planning, monitoring and evaluation of health services and service provision | | the total number of facility managers interviewed | |

| Number | Question | Response | Score |
|---|---|-------------|--|
| 7n | Do you have any of the following guidelines/SOPs in your facility? SOPs on how to involve vulnerable groups of adolescents in the planning, monitoring and evaluation of health services and service provision | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed |
| Aggregate health facility manager score | | | Total score |

| Direct observation (checklist) tool | | | |
|-------------------------------------|---|-------------|---------------------------------|
| Number | Question | Response | Score |
| 141 | Check to see if there are the following guidelines/SOPs: SOPs on how to involve adolescents in the planning, monitoring and evaluation of health services and service provision | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| 14m | Check to see if there are the following guidelines/SOPs: SOPs on how to involve vulnerable groups of adolescents in the planning, monitoring and evaluation of health services and service provision | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" |
| Aggregate | direct observation (checklist) score | | Total score |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate direct observation (checklist) score | 0–2 | |
| Absolute total score | | 0–4 | |
| Relative score for Criterion 72 | | 0 to 100% | $\left(\frac{\text{Total score}}{4}\right) \times 100$ |

CRITERION 73.

Health-care providers are aware of laws and regulations that govern informed consent, and the consent process is clearly defined by facility policies and procedures in line with laws and regulations.

| Health facility manager interview tool | | | | | |
|--|---|-------------|---|--|--|
| Number | Question | Response | Score | | |
| 7f | Do you have any of the following guidelines/SOPs in your facility? Guidelines/SOPs on informed consent | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | | |
| Aggregate | Aggregate health facility manager score Total score | | | | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 14e | Check to see if there are the following guidelines/SOPs: | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| | Guidelines/SOPs on informed consent | | | |
| Aggregate | Aggregate direct observation (checklist) score Total score | | | |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|-------------|---|--|
| Number | Question | Response | Score | |
| 8d | Are you aware of the following SOPs/guidelines: Guidelines/SOPs on informed consent? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | |
| Aggregate | health-care provider score | Total score | | |

| | Category | Minimum – Maximum | Score |
|---------------------------------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Absolute total score | | 0–3 | |
| Relative score for Criterion 73 | | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

CRITERION 74.

The health facility carries out regular activities to identify adolescents' expectations about the service and to assess their experience of care, and it involves adolescents in the planning, monitoring and evaluation of health services.

| Health facility manager interview tool | | | | |
|--|---|-------------|---|--|
| Number | Question | Response | Score | |
| 9a | Does your facility regularly conduct self-assessments: To identify adolescents' expectations about the services in the facility? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| 9b | Does your facility regularly conduct self-assessments: To find out about adolescents' experience of care? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | |
| Aggregate | health facility manager score | | Total score | |

| Health-care provider interview tool | | | |
|-------------------------------------|---|-------------|---|
| Number | Question | Response | Score |
| 16a | Have you ever involved any of the following groups in these activities: Adolescents in the planning, monitoring and evaluation of health services? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed |
| Aggregate | health-care provider score | Total score | |

| | Category | Minimum – Maximum | Score |
|--------|--------------------------------------|-------------------|--|
| 1 | Aggregate facility manager score | 0–2 | |
| 2 | Aggregate health-care provider score | 0–1 | |
| Absol | lute total score | 0–3 | |
| Relati | ve score for Criterion 74 | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

CRITERION 75.

Health-care providers provide accurate and clear information on the medical condition and management/treatment options, and explicitly take into account the adolescent's decision on the preferred option and follow-up actions.

| Adolescent client exit interview tool | | | |
|---------------------------------------|---|-------------|---|
| Number | Question | Response | Score |
| 170 | Today, during your consultation or counselling session: Do you feel that the health information provided during the consultation was clear, and that you understood it well? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| 17р | Today, during your consultation or counselling session: Did the provider ask you if you agree with the treatment/procedure/solution that was proposed? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed |
| Aggregate | adolescent client score | | Total score |

| Direct observation (client-provider interaction) tool | | | | |
|---|---|-----------------------------|--|--|
| Number | Question | Response | Score | |
| 14 | If an informed consent from a third party was required, was adolescent assent to the service/procedure also obtained? | 1=Yes, 0=No, 6=Not relevant | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |

| Number | Question | Response | Score |
|-----------|--|-----------------------------|--|
| 16d | During the consultation did the service provider do the following: Provide accurate and clear information on the medical condition? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 16e | During the consultation did the service provider do the following: Provide accurate and clear information on the management/treatment options? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 16f | During the consultation did the service provider do the following: Ask the adolescent client what are his/her preferences for the management/treatment options? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 16g | During the consultation did the service provider do the following: Provide accurate and clear information on follow-up actions? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 16h | During the consultation did the service provider do the following: Ask the adolescent client what are his/her preferences for the follow-up actions? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 16i | During the consultation did the service provider do the following: Ask the adolescent client whether he/she has any problem understanding the treatment that is being provided? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 16j | During the consultation did the service provider do the following: Check the adolescent client's understanding of the information provided by asking probing questions? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 16k | During the consultation did the service provider do the following: Use audio-visual material to explain anatomy, disease, or other, as relevant to the topic of the consultation? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of observations made |
| 16m | During the consultation did the service provider do the following: Explain the results of the physical examination to the client? | 1=Yes, 0=No, 6=Not relevant | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate | direct observation (client-provider interaction) | score | Total score |

| Health-care provider interview tool | | | | |
|-------------------------------------|--|--------------------------------|--|--|
| Number | Question | Response | Score | |
| 21f | When you see an adolescent client for services or counselling do you: Obtain, in cases when an informed consent from a third party is required, the adolescent's assent to the service/procedure? | 1=Yes, 0=No, 6=Not relevant | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" | |
| Aggregate | Aggregate health-care provider score | | Total score | |

| Adolescent in the community interview tool | | | |
|---|---|-------------------------------------|--|
| Number | Question | Response | Score |
| 19 | Did you feel the information provided during the consultation was clear, and that you understood it well? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| 20a | Did the provider ask you if you agreed with the treatment, procedure or solution that was proposed? | 1=Yes, 0=No, 7=Can't remember | Total number of responses coded as "1" divided by the sum of responses coded "1" and "0" |
| Aggregate adolescent in the community score | | | Total score |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|---|
| 1 | Aggregate adolescent client score | 0–2 | |
| 2 | Aggregate direct observation (client-provider interaction) score | 0–10 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| 4 | Aggregate adolescent in the community score | 0–2 | |
| Absol | ute total score | 0–15 | |
| Relati | ve score for Criterion 75 | 0 to 100% | $\left(\frac{\text{Total score}}{15}\right) \times 100$ |

CRITERION 76.

The health facility carries out activities to build adolescents' capacity in certain aspects of health-service provision.

| Health fac | Health facility manager interview tool | | | | |
|------------|--|-------------|---|--|--|
| Number | Question | Response | Score | | |
| 17c | Do you have budget to ensure: Training of adolescents in providing certain services (e.g. health education for peers, counselling)? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of facility managers interviewed | | |
| Aggregate | health facility manager score | Total score | | | |

| Direct observation (checklist) tool | | | | |
|-------------------------------------|---|-------------|---------------------------------|--|
| Number | Question | Response | Score | |
| 13i | Check to see training records/reports for the following topics. Training of adolescents in providing certain services (for example, health education for peers, counselling) | 1=Yes, 0=No | Score 1 for "Yes" or 0 for "No" | |
| Aggregate | Aggregate direct observation (checklist) score Total score | | | |

| Health-ca | Health-care provider interview tool | | | | |
|-----------|---|-------------|---|--|--|
| Number | Question | Response | Score | | |
| 15b | Have you ever trained any of the following groups in these areas: Adolescents in providing certain services, for example, health education for peers, counselling? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | | |
| Aggregate | health-care provider score | | Total score | | |

| | Category | Minimum – Maximum | Score |
|--------|--|-------------------|--|
| 1 | Aggregate facility manager score | 0–1 | |
| 2 | Aggregate direct observation (checklist) score | 0–1 | |
| 3 | Aggregate health-care provider score | 0–1 | |
| Absol | lute total score | 0–3 | |
| Relati | ve score for Criterion 76 | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |

CRITERION 77.

Adolescents are involved in planning, monitoring and evaluation of health services.

| Adolescent client exit interview tool | | | | | |
|---|---|-------------|---|--|--|
| Number | Question | Response | Score | | |
| 23b | Today, or in other occasions, were you or your friends approached to help facility staff in planning health services, or any activity to improve the quality of services such as surveys, participating in meetings to discuss the quality of care, or any other? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | | |
| Aggregate adolescent client score Total score | | | | | |

| Adolescent in the community interview tool | | | | | |
|--|--|-------------|--|--|--|
| Number | Question | Response | Score | | |
| 28b | Have you or your friends ever been approached to help facility staff in planning health services, or any activity to improve the quality of services such as surveys, or participating in meetings to discuss the quality of care? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed | | |
| Aggregate | adolescent in the community score | Total score | | | |

| | Category | Minimum – Maximum | Score |
|--------|---|-------------------|--|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate adolescent in the community score | 0–1 | |
| Absol | lute total score | 0–2 | |
| Relati | ve score for Criterion 77 | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 78.

Adolescents are involved in decisions regarding their own care.

| Adolescent client exit interview tool | | | | | | |
|---------------------------------------|---|------------------------------|---|--|--|--|
| Number | Question | Response | Score | | | |
| 17q | Today, during your consultation or counselling session: Overall, did you feel that you were involved in the decisions regarding your care? For example, you had a chance to express your opinion or preference for the care provided, and your opinion was listened to, and heard? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | | | |
| Aggregate adolescent client score | | | Total score | | | |

| Adolescent in the community interview tool | | | | | | |
|--|---|------------------------------|--|--|--|--|
| Number | Question | Response | Score | | | |
| 20b | Overall, did you feel that you were involved in the decision regarding your care—for example, did you have a chance to express your opinions or preferences for the care provided, and did you feel that your opinion was listened to, and heard? | 1=Yes, 0=No, 8=Don't know | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed | | | |
| Aggregate | adolescent in the community score | Total score | | | | |

| | Category | Minimum – Maximum | Score |
|--------|---|-------------------|--|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate adolescent in the community score | 0–1 | |
| Absol | lute total score | 0–2 | |
| Relati | ve score for Criterion 78 | 0 to 100% | $\left(\frac{\text{Total score}}{2}\right) \times 100$ |

CRITERION 79.

Adolescents are involved in certain aspects of health service provision.

| Adolescent client exit interview tool | | | | | | |
|---------------------------------------|--|-------------|--|--|--|--|
| Number | Question | Response | Score | | | |
| 23a | Today, or in other occasions, were you or your friends approached to help staff in working with adolescents in this adolescent clinic/health facility? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescent clients interviewed | | | |
| Aggregate | adolescent client score | Total score | | | | |

| Health-care provider interview tool | | | | | |
|-------------------------------------|---|-------------|---|--|--|
| Number | Question | Response | Score | | |
| 16b | Have you ever involved any of the following groups in these activities: Adolescents in any aspects of service provision? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of health-care providers interviewed | | |
| Aggregate | health-care provider score | | Total score | | |

| Adolescent in the community interview tool | | | | | |
|--|---|-------------|--|--|--|
| Number | Question | Response | Score | | |
| 28a | Have you or your friends ever been approached to help staff in working with adolescents in the nearby facility? | 1=Yes, 0=No | Total number of responses coded as "1" divided by the total number of adolescents in the community interviewed | | |
| Aggregate | adolescent in the community score | | Total score | | |

| | Category | Minimum – Maximum | Score |
|--------|---|-------------------|--|
| 1 | Aggregate adolescent client score | 0–1 | |
| 2 | Aggregate health-care provider score | 0–1 | |
| 3 | Aggregate adolescent in the community score | 0–1 | |
| Absol | ute total score | 0–3 | |
| Relati | ve score for Criterion 79 | 0 to 100% | $\left(\frac{\text{Total score}}{3}\right) \times 100$ |









For more information, please contact:

Department of Maternal, Newborn, Child and Adolescent Health (MCA) World Health Organization 20 Avenue Appia 1211 Geneva 27 Switzerland

Tel.: +41 22 791 3281 Fax: +41 22 791 4853 Email: mncah@who.int

www.who.int/maternal_child_adolescent/en

ISBN 978 92 4 154933 2

